

MOTORHOMES

Prices & Technical Data

August 2022

Prices may vary depending on your delivery date.



UK 08/2022

NOTICE ON THE AVAILABILITY OF INDIVIDUAL COMPONENTS.

We reserve the right to adjust vehicle equipment and options in the event of material shortages in consultation with your trading partner.



BÜRSTNER

#wohnfühlen



QUALITY...

Choosing the right motorhome requires extensive information. Bürstner is not only characterised by good quality, well thought-out technology, and attractive design, but also offers many other advantages...

QUALITY IN SECURITY

Bürstner takes this issue very seriously and equips all motorhomes – if technically possible in the living area – with 3-point seatbelts. You can also expect ABS (anti-lock braking system) as standard. In all models driver airbag comes as standard.

THOUGHTFUL FLOOR PLANS

Bürstner designs floor plans according to the needs of the users. If you want to travel with your friends or family, you will particularly appreciate our countless storage options, our dedication to the flexible and functional details and, above all, the homely atmosphere synonymous with Bürstner.

EXCEPTIONALLY GOOD PRICE-PERFORMANCE RATIO

What Bürstner already offers as standard – supplemented by the extremely attractive equipment packages – is second to none. Many of our customers use the opportunity to equip their vehicle with these packages (depending on the model) and thus secure their perfect motorhome.

WARRANTY*

Bürstner stands for #wohnfühlen – even after the purchase. That is why we offer you an all-round carefree package. In addition, you will receive both 2-years manufacturers guarantee as well as a 10-year guarantee against water ingress. Please note all guarantee conditions, which include prescribed and paid care and maintenance intervals. Your Bürstner dealer is available to answer your questions and will be happy to carry out the work for you. *According to guarantee conditions

MOTORHOMES

Contents

Important information for choosing your motorhome	4
Limited T	6
Lyseo TD Harmony Line	14
Lyseo Gallery TD Harmony Line.....	30
Lyseo I Harmony Line	40
Elegance.....	56

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Bürstner specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

Limited T

Models	T 660	T 690 G	T 726 G	T 727 G
Fiat Ducato Multijet 3 - 2,2 L - 120 hp - Euro 6d Final				
Overall length (app. cm)	695	698	742	742
Overall width (app. cm)	232	232	232	232
Overall height (app. cm)	295	295	295	295
Overall height Internal (app. cm)	212	212	212	212
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500
Mass in running order(kg)*	3015 (2864 - 3166)*	2994 (2844 - 3144)*	3102 (2947 - 3257)*	3126 (2970 - 3282)*

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is $\pm 5\%$. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Bürstner weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the “Legal Information” section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated.

Detailed explanations on the subject of mass of the passengers can be found in the “Legal Information” section.

Models	T 660	T 690 G	T 726 G	T 727 G
Fiat Ducato Multijet 3 - 2,2 L - 120 hp - Euro 6d Final				
Overall length (app. cm)	695	698	742	742
Overall width (app. cm)	232	232	232	232
Overall height (app. cm)	295	295	295	295
Overall height Internal (app. cm)	212	212	212	212
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500
Mass in running order(kg)*	3015 (2864 - 3166)*	2994 (2844 - 3144)*	3102 (2947 - 3257)*	3126 (2970 - 3282)*
Manufacturer-specified mass for optional equipment*	126	150	34	10
Technically permissible maximum towable mass (ca. kg)	2000	2000	2000	2000
Wheelbase, approx. mm	3800	3800	4035	4035
Permitted number of seats (including driver)*	4 - 5 ○	4	4 - 5 ○	4

4. The manufacturer-specified mass for optional equipment...

... is a value set by Bürstner per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the “Legal Information” section.

Description	T 660	T 690 G	T 726 G	T 727 G	Additional weight* (kg)
Exterior Body					
Bicycle Rack for 3 Bikes (max. load 60 kg)	○	○	○	○	15
Living area roof light 40 x 40 cm	○	○	○	○	4
Roll out awning in anthracite - 4.0 m inc. LED-lights	○	○	○	—	30
Roof light in kitchen area for ventilation	○	○	○	○	4
Roof light with fan in washroom	○	○	○	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	○	○	○	○	21

Description	Additional weight* (kg)
Fiat - Drive Easy Package	+3 kg*
Fog lights with cornering light	
Tyre pressure sensor for Fiat chassis	
Battery isolating switch for cab battery	

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

Limited T



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	T 690 G	T 727 G
Fiat Ducato Multijet 3 - 2,2 L - 140 hp - Euro VI E (Heavy Duty)	76,495.-	77,795.-
Overall length (app. cm)	698	742
Overall width (app. cm)	232	232
Overall height (app. cm)	295	295
Overall height Internal (app. cm)	212	212
Technically permissible maximum laden mass (kg)*	3500	3850
Mass in running order(kg)*	3035 (2883 - 3187)*	3167 (3009 - 3325)*
Manufacturer-specified mass for optional equipment (kg)*	109	319
Technically permissible maximum towable mass (ca. kg)	2000	2000
Wheelbase, approx. mm	3800	4035
Permitted number of seats (including driver)*	4	4
Sleeping berths	2 - 4 ○ ¹⁾	2 - 5 ○ ²⁾
Bed size centre (app. cm)	170x105-52 ○	—
Fold down bed (app. cm)	200x96-77 ○	200x140 ○
Bed size rear (app. cm)	203x80 197x80	209x80 202x80
Refrigerator volume incl. freezer, approx. l	142 (15)	142 (15)
Fresh water supply, approx. l	100	100
Water supply, approx. l (whilst driving)	20	20
Waste water tank, approx. l	90	90
Insulation floor / side walls / roof, mm	49 / 34 / 34	49 / 34 / 34
Storage space for gas cylinder with max. 11 kg filling weight	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Limited T



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	T 690 G	T 727 G
Fiat Chassis		
16" Alloy wheels	●	●
Crosswind assistant	●	●
Cruise control	●	●
ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation))	●	●
Electronic parking brake	●	●
Emergency brake assistant (pedestrian and cyclist detection)	●	●
Fix and Go Kit (Instead of Spare Wheel)	●	●
Front Lights with black frame	●	●
Fuel Tank, 75 ltr.	●	●
LED Daytime running lights	●	●
Start and stop function ³⁾	●	●
Traction Plus	●	●
Fiat Cab		
Airbag Driver	●	●
Airbag Passenger	●	●
Automatic cab air conditioning	●	●
Cup Holder for driver and passenger	●	●
Dashboard refinement Techno	●	●
Digital multifunction dashboard	●	●
Heated and electrically adjustable mirrors	●	●
Inductive charging station for smartphones	●	●
Manual cab air conditioning with pollen filter	●	●
Multifunction buttons for steering wheel	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Limited T



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	T 690 G	T 727 G
Steering wheel and gear shift in leather	●	●
Exterior Body		
Aluminium framed windows	●	●
Electrical inset step	●	●
Exterior Garage Door, left	●	●
Exterior Garage Door, right	●	●
GRP Roof	●	●
Habitation door - Premium XL (2-point locking, central locking, windows, mosquito net, waste bin and charging station for the Home-Light battery light)	●	●
Paintwork metallic Black (cab)	●	●
Roll out awning in anthracite - 4.0 m inc. LED-lights	●	—
Roll out awning in anthracite - 4.50 m inc. LED-lights	—	●
Roof Vent in Bathroom	●	●
Roof light 50 x 70 cm	●	●
Sleeping area roof light 40 x 40 cm	●	●
Sun-Roof	●	●
Third Brake Light	●	●
Habitation		
Fixed Bed with Multi-zone comfort foam mattresses	●	●
Folding table	—	●
Infill cushion for single beds	●	●
L shaped seating	●	—
Rear roof locker ventilator	●	●
Riva Loft Furniture	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Limited T



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	T 690 G	T 727 G
Vario Roller Blinds	●	●
Kitchen		
3 flame hob with glass cover and separate sink and chopping board	●	●
Coffee capsule holder	●	●
Combination oven ⁴⁾	●	—
Compressor fridge 142 litres (Freezer 15 ltr.)	●	●
Gas oven	—	●
Illuminated wall panel	●	●
Water System		
Cassette Toilet	●	●
High Performance Water Pump	●	●
Electrical		
Backlit mirror in the bathroom	●	●
Charging booster 30A	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●
Facility for climate, SAT, solar	●	●
Indirect ceiling lighting	●	●
Indirect feature LED lighting to worktops	●	●
Indirect lighting on rear lockers	●	●
LED lighting in cabinet	●	—
Leisure battery AGM 95 Ah	●	●
Light in Wardrobe	●	●
Power sockets 12 V / 230 V	●	●
Service Centre (Control Panel)	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Limited T



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	T 690 G	T 727 G
Socket in rear garage	●	●
USB-Socket	●	●
Gas System		
Digital control panel CP plus	●	●
Gas Heater Combi 6 E (Standard)	●	●
Audio - Media		
Flatscreen holder	●	●
Multimedia system AVH-Z5100 DAB inc. rear camera ⁵⁾	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Packages Limited T

Fiat Chassis Packages

Fiat - Drive Easy Package	+3 kg*
Fog lights with cornering light	
Tyre pressure sensor for Fiat chassis	
Battery isolating switch for cab battery	
Special price	600.-

Packages

Connect package with 21.5" Smart TV	+18 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Solar Panels 1 x 100 Watt	
Special price	2,130.-

Winter Pack	+12 kg*
Heated and insulated Wastewater Tank and Discharge	
Electric Underfloor Heating	
Heated driver and passenger seats	
Special price	1,800.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Limited T

● Standard ○ Optional extra □ Optional extra available in a package — Not possible △ Not yet known at the time of publication

Description	Price £ a)	T 690 G	T 727 G	Additional weight* (kg)
Fiat Engine				
Fiat Ducato Multijet 3 - 2,2 L - 140 hp - Euro VI E (Heavy Duty) with 9 speed torque converter automatic transmission ⁶⁾	3,980.-	○	○	△
Fiat Chassis				
Fuel tank, 90 ltr.	110.-	○	○	14
Full-LED headlights with black headlight frame	1,250.-	○	○	0
Exterior Body				
Bicycle Rack for 3 Bikes (max. load 60 kg)	420.-	○	○	15
Roof light in kitchen area for ventilation	190.-	○	○	4
Roof light with fan in washroom	190.-	○	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	740.-	○	○	21
Habitation				
Carpet to Cab & Living Area	460.-	○	○	7
Dinette transformable to berth	440.-	—	○	10
Electric Fold-down bed over Seating	2,020.-	○	○	50
Fitted sheets for fixed beds	70.-	○	○	1
Fitted sheets for the folding down bed	70.-	○	○	1
Isofix Child Seat Fastening	330.-	○	—	6
Optional cushion for occasional bed	220.-	○	—	3
Water System				
Heated Wastewater Tank	190.-	○	○	1
Outside Shower with Mixer Tap	230.-	○	○	3
Electrical				
Second Leisure Battery 95 Ah	410.-	○	○	27



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	T 690 G	T 727 G	Additional weight* (kg)
Solar Panels 1 x 100 Watt ⁷⁾	510.-	□	□	12
Gas System				
Exterior Gas Point	260.-	○	○	1
Gas Alarm System for Propane, Butane and Narcotic Gas	350.-	○	○	1
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	○	○	1
Roof Air Conditioning 2460 W ⁷⁾	2,240.-	○	○	37
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	390.-	○	○	1
Audio - Media				
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	300.-	○	○	2
Media center with navigation (Navgate) including reversing camera ⁵⁾	720.-	○	○	5
WiFi Connect Module ⁷⁾	1,060.-	□	□	3
Fiat Chassis Packages				
Fiat - Drive Easy Package	600.-	○	○	3
Packages				
Connect package with 21.5 "Smart TV ⁸⁾	2,130.-	○	○	18
Winter Pack	1,800.-	○	○	12



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 594 HL	TD 644 G HL	TD 680 G HL
Fiat Ducato Multijet 3 - 2,2 L - 140 hp - Euro VI E (Heavy Duty)	80,695.-	83,195.-	83,195.-
Overall length (app. cm)	599	699	689
Overall width (app. cm)	230	230	230
Overall height (app. cm)	295	295	295
Overall height Internal (app. cm)	205	205	205
Technically permissible maximum laden mass (kg)*	3500	3850	3850
Mass in running order(kg)*	3021 (2870 - 3172)*	3127 (2971 - 3283)*	3172 (3013 - 3331)*
Manufacturer-specified mass for optional equipment (kg)*	140	363	321
Technically permissible maximum towable mass (ca. kg)	2000	2000	2000
Wheelbase, approx. mm	3800	3800	4035
Permitted number of seats (including driver)*	4	4	4
Sleeping berths	2 - 4 ○ ¹⁰⁾	4	2 - 4 ○ ¹⁰⁾
Bed size centre (app. cm)	206x120 ○	—	206x130 ○
Fold down bed (app. cm)	199x140	—	200x160
Bed size rear (app. cm)	—	205x155-135	—
Fold down bed rear (app. cm)	—	206x138	—
Refrigerator volume incl. freezer, approx. l	133 (12)	175 (34)	142 (15)
Fresh water supply, approx. l	100	100	100
Water supply, approx. l (whilst driving)	20	20	20
Waste water tank, approx. l	90	90	90
Insulation floor / side walls / roof, mm	41 / 30 / 30	41 / 30 / 30	41 / 30 / 30
Storage space for gas cylinder with max. 11 kg filling weight	2x 11kg	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



TD 690 G HL	TD 727 G HL	TD 732 HL	TD 736 HL	TD 744 HL
83,195.-	85,595.-	84,395.-	85,595.-	86,795.-
699	749	717	749	749
230	230	230	230	230
295	295	295	295	295
205	205	205	205	205
3500	3850	3850	3850	3850
3109 (2954 - 3264)*	3222 (3061 - 3383)*	3162 (3004 - 3320)*	3222 (3061 - 3383)*	3272 (3108 - 3436)*
41	273	335	274	212
2000	2000	2000	2000	2000
4035	4300	4035	4300	4300
4 - 5 o ⁹⁾	4	4	4	4 - 5 o ⁹⁾
2 - 5 o ¹¹⁾	2 - 5 o ¹¹⁾	2 - 5 o ¹¹⁾	2 - 5 o ¹¹⁾	2 - 5 o ¹¹⁾
210 x 115 - 86 o	207 x 105 - 102 o	208 x 105 - 65 o	207 x 105 - 102 o	210 x 125 - 97 o
200 x 135 - 125 o	200 x 135 - 125 o	200 x 134 o	200 x 135 - 125 o	200 x 135 - 125 o
199 x 80 - 63 / 190 x 80	2x 202 x 80	190 x 145	190 x 145	—
—	—	—	—	200 x 155
142 (15)	133 (12)	133 (12)	133 (12)	133 (12)
100	100	100	100	100
20	20	20	20	20
90	90	90	90	90
41 / 30 / 30	41 / 30 / 30	41 / 30 / 30	41 / 30 / 30	41 / 30 / 30
2x 11kg	2x 11kg	2x 11kg	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 594 HL	TD 644 G HL	TD 680 G HL
Fiat Chassis			
16" Alloy wheels	●	●	●
Cruise control	●	●	●
ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation))	●	●	●
Electronic parking brake	●	●	●
Fiat Ducato Low Level chassis	●	●	●
Fix and Go Kit (Instead of Spare Wheel)	●	●	●
Front Lights with black frame	●	●	●
LED Daytime running lights	●	●	●
Painted front bumper	●	●	●
Post-collision brake assistant	●	●	●
Start and stop function	●	●	●
Traction Plus	●	●	●
Fiat Cab			
Airbag Passenger	●	●	●
Automatic cab air conditioning	●	●	●
Cab blinds	●	●	●
Cup Holder for driver and passenger	●	●	●
Dashboard refinement Techno	●	●	●
Digital multifunction dashboard	●	●	●
Driver airbag	●	●	●
Heated and electrically adjustable mirrors	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 594 HL	TD 644 G HL	TD 680 G HL
Inductive charging station for smartphones	●	●	●
Multifunction buttons for steering wheel	●	●	●
Pilot seats upholstered to match the living area	●	●	●
Steering wheel and gear shift in leather	●	●	●
Exterior Body			
Aluminium framed windows	●	●	●
Door sills	—	●	●
Electric Door Step	●	●	●
Exterior Garage Door, left	—	●	●
Exterior Garage Door, right	—	●	●
GRP Floor	●	●	●
GRP Roof	●	●	●
Habitation door - Premium XL (2-point locking, central locking, windows, mosquito net, waste bin and charging station for the Home-Light battery light)	●	●	●
Living area roof light 40 x 40 cm	●	●	●
Paintwork of driver's cab and body in white	●	●	●
Rear bumper with chrome finish	●	●	●
Roll out awning in anthracite - 3.0 m inc. LED-lights	●	—	—
Roll out awning in anthracite - 4.0 m inc. LED-lights	—	●	●
Roll out awning in anthracite - 4.50 m inc. LED-lights	—	—	—
Roof Vent in Bathroom	●	●	●
Roof light in kitchen area for ventilation	●	●	●
Sun-Roof	●	●	●
Third Brake Light	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 594 HL	TD 644 G HL	TD 680 G HL
Habitation			
Carpet to Cab & Living Area	●	●	●
Drop-down bed can be used as a transverse or longitudinal bed ¹²⁾	●	—	—
Electric Drop Down bed in rear	—	●	—
Extendable hooking table	—	—	—
Fixed Bed with Multi-zone comfort foam mattresses	●	●	●
Folding table	●	—	●
Infill cushion for single beds	—	—	—
Lounge Pack	—	—	—
Rear seating group convertible to bed	—	●	—
Santina Furniture	●	●	●
Thermofloor	●	●	●
Underfloor storage	●	●	●
Vario Roller Blinds	●	●	●
Kitchen			
3 flame hob with glass cover and separate sink and chopping board	●	●	●
Combination oven	●	●	●
Gas oven	—	—	—
Illuminated wall panel	●	●	●
Magnetic holder for glasses	●	●	●
Water System			
Cassette Toilet	●	●	●
High Performance Water Pump	●	●	●
Service Unit (central supply and disposal)	●	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 594 HL	TD 644 G HL	TD 680 G HL
Electrical			
Charging station Home Light	●	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●	●
Facility for climate, SAT, solar	●	●	●
Home Light	—	—	—
Illuminated mirror in the bathroom	●	●	●
Indirect feature LED lighting to worktops	●	●	●
Indirect kitchen lighting	●	●	●
Indirect lighting on rear lockers	●	●	●
LED awning light with switch in the entrance area ¹³⁾	●	●	●
Leisure battery AGM 95 Ah	●	●	●
Light in Wardrobe	●	●	●
Power sockets 12 V / 230 V	●	●	●
Roof cabinets with indirect lighting	●	●	●
Service Centre (Control Panel)	●	●	●
Socket in rear garage	—	●	●
Solar Panels 1 x 100 Watt	●	●	●
USB-Socket	●	●	●
Gas System			
Digital control panel CP plus	●	●	●
Exterior Gas Point	●	●	●
Gas Heater Combi 6 E	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 594 HL	TD 644 G HL	TD 680 G HL
Audio - Media			
Flatscreen holder	●	●	●
Multi Function Steering Wheel	●	●	●
Preparation for 2nd TV position	●	●	●
Radio preparation including DAB + and antenna in Exterior mirrors	●	●	●
Uconnect radio with 10" screen and navigation (Apple Car Play and Android Auto) incl. steering wheel with multifunction buttons for radio control, reversing camera and air conditioning	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



TD 690 G HL	TD 727 G HL	TD 732 HL	TD 736 HL	TD 744 HL
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•

 *INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Packages Lyseo TD Harmony Line

Fiat Chassis Packages

Fiat - Drive Easy Package	+3 kg*
Fog lights with cornering light	
Tyre pressure sensor for Fiat chassis	
Battery isolating switch for cab battery	
Special price	600.-

Packages

Connect package with 21.5" Smart TV	+18 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Solar Panels 1 x 100 Watt	
Special price	2,130.-

Connect Pack with Smart TV 32"	+9 kg*
Flat screen 32 inch Smart TV incl. Bluetooth keyboard, DVD, triple tuner	
WiFi Connect Module	
Solar Panels 1 x 100 Watt	
Special price	2,590.-

Winter Package	▲
Heated and insulated Wastewater Tank and Discharge	
Heated driver and passenger seats	
Special price	1,490.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

▲ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo TD Harmony Line

● Standard ○ Optional extra □ Optional extra available in a package — Not possible ▲ Not yet known at the time of publication

Description	Price € ^{a)}	TD 594 HL	TD 644 G HL	TD 680 G HL	TD 690 G HL	TD 727 G HL	TD 732 HL	TD 736 HL	TD 744 HL	Additional weight* (kg)
Fiat Engine										
Fiat Ducato Multijet 3 - 2,2 L - 140 hp - Euro VI E (Heavy Duty) with 9 speed torque converter automatic transmission ⁶⁾	3,980.-	○	○	○	○	○	○	○	○	▲
Fiat Ducato Multijet 3 - 2,2 L - 160 hp - Euro VI E (Heavy Duty) ¹⁴⁾	2,630.-	○	○	○	○	○	○	○	○	▲
Fiat Ducato Multijet 3 - 2,2 L - 160 hp - Euro VI E (Heavy Duty) with 9 speed torque converter automatic transmission ^{6) 14)}	6,610.-	○	○	○	○	○	○	○	○	▲
Weight Increases										
Weight upgrade to 3.850 kg on Fiat Chassis (from 140 BHP)	370.-	○	●	●	○	●	●	●	●	0
Weight upgrade to 4,250 kg on Fiat chassis	1,880.-	○	○	○	○	○	○	○	○	40
Weight upgrade to 4,400 kg on Fiat chassis (160 BHP)	1,880.-	○	○	○	○	○	○	○	○	40
Fiat Chassis										
Fuel tank, 90 ltr.	110.-	○	○	○	○	○	○	○	○	14
Full-LED headlights with black headlight frame	1,250.-	○	○	○	○	○	○	○	○	0
Trailer Coupling	1,570.-	○	○	○	○	○	○	○	○	50
Exterior Body										
Bicycle Rack for 3 Bikes (max. load 60 kg)	420.-	○	○	○	○	○	○	○	○	15
Rear Corner Steadies	380.-	○	○	○	○	○	○	○	○	7
Roof light 50 x 70 cm ^{7) 15)}	510.-	○	—	○	○	○	○	○	○	6
Roof light in kitchen area for ventilation	190.-	○	○	○	○	○	○	○	○	4
Roof light with fan in washroom	190.-	○	—	○	○	○	○	○	○	4
Sun-Roof XL in combination with rooflight 50 x 70 cm ¹⁶⁾	1,120.-	—	—	—	○	○	○	○	○	27
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	740.-	○	○	○	○	○	○	○	○	21
Habitation										
Bahia Furniture		○	○	○	○	○	○	○	○	0
Dinette transformable to berth	440.-	○	○	○	○	○	○	○	○	10
Electric Fold-down bed over Seating	2,020.-	●	●	●	○	○	○	○	○	50



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	TD 594 HL	TD 644 G HL	TD 680 G HL	TD 690 G HL	TD 727 G HL	TD 732 HL	TD 736 HL	TD 744 HL	Additional weight* (kg)
Fitted sheets for fixed beds	70.-	—	—	—	o	o	o	o	—	1
Fitted sheets for the folding down bed	70.-	o	o	o	o	o	o	o	o	1
Isofix Child Seat Fastening	330.-	—	—	—	o	—	—	—	o	6
L shaped seating	580.-	—	—	—	o	—	—	—	o	5
Queens bed - height adjustable with large garage door on the left ¹⁷⁾	1,570.-	—	—	—	—	—	o	o	—	34
Upholstery Osaka (full leather)	2,450.-	o	o	o	o	o	o	o	o	0
Vario-Seat	690.-	—	—	—	o	—	—	—	o	14
Kitchen										
Extractor Fan	250.-	o	o	o	o	o	o	o	o	2
Water System										
Heated Wastewater Tank	190.-	o	o	o	o	o	o	o	o	1
Outside Shower with Mixer Tap	230.-	o	o	o	o	o	o	o	o	3
Electrical										
Lithium battery 90 Ah ¹⁸⁾	1,770.-	o	o	o	o	o	o	o	o	-13
Lithium battery 90 Ah in addition ¹⁸⁾	1,770.-	o	o	o	o	o	o	o	o	13
Second Leisure Battery 95 Ah	410.-	o	o	o	o	o	o	o	o	27
Gas System										
Gas Alarm System for Propane, Butane and Narcotic Gas	350.-	o	o	o	o	o	o	o	o	1
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	o	o	o	o	o	o	1
Roof Air Conditioning 2460 W ⁷⁾	2,240.-	o	o	o	o	o	o	o	o	37
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	390.-	o	o	o	o	o	o	o	o	1
Audio - Media										
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	300.-	—	—	—	o	o	o	o	o	2
LED TV 32" with triple tuner incl. TV holder	1,280.-	—	—	—	—	—	—	—	o	7
WiFi Connect Module ⁷⁾	1,060.-	□	□	□	□	□	□	□	□	3
Fiat Chassis Packages										
Fiat - Drive Easy Package	600.-	o	o	o	o	o	o	o	o	3
Packages										
Connect Pack with Smart TV 32" ⁸⁾	2,590.-	—	—	—	—	—	—	—	o	9
Connect package with 21.5 "Smart TV ⁸⁾	2,130.-	o	o	o	o	o	o	o	o	18
Winter Package	1,490.-	o	o	o	o	o	o	o	o	Δ



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

SERIAL DETAILS

Lyseo TD Harmony Line

- Automotiv - sporty Harmony Line product graphics
- Harmony Line entry element, with integrated control board, shelves and TV place, in the entrance area
- Marloes floor in bronze-structure style
- Upholstery in exclusive Harmony Line design with embroidery
- Black radiator grille
- Headlights with black frame
- LED Daytime Running Lights
- Heated and electrically adjustable mirrors
- Traction Plus
- Steering wheel and gear shift in leather
- Multi Function Steering Wheel
- Fiat Comfort Pack with
 - Electronic parking brake
 - Dashboard in Techno finish
 - Uconnect radio with 10 "screen and navigation (Apple Car Play and Android Auto) including reversing camera
 - Digital multifunction dashboard
 - Inductive charging station for smartphone
- Aluminium Framed Windows
- Skyroof
- One Piece Entry Door Hartal Premium XL
- Central looking for entrance door Premium XL
- Additional garage door left side (exc. TL 590)
- Pilot seats upholstered to match the living area
- Remis cab blinds
- Awning anthracite with LED
- Light Pack
- Carpet for Cab and Living area
- Window frame cover Style in kitchen
- Oven
- 100 Watt solar panel
- Exterior Power Socket 230 V / 12 V / TV
- Truma Combi 6 E
- Exterior Gas Point
- Holder for flatscreen

These offers are valid only in conjunction with the purchase of the listed motorhomes

Please find more details concerning weight under "Important references"

Lyseo Gallery TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 649 G	TD 689 G
Fiat Ducato 2,2 Multijet - 140 BHP - Euro VI E	98,495.-	98,495.-
Overall length (app. cm)	699	690
Overall width (app. cm)	230	230
Overall height (app. cm)	299 ¹⁹	299 ¹⁹
Overall height Internal (app. cm)	205	205
Technically permissible maximum laden mass (kg)*	3850	3850
Mass in running order(kg)*	tbc	tbc
Manufacturer-specified mass for optional equipment (kg)*	tbc	tbc
Technically permissible maximum towable mass (ca. kg)	tbc	tbc
Wheelbase, approx. mm	3800	4035
Permitted number of seats (including driver)*	4	4
Sleeping berths	4 - 6 ^{○ 20)}	3
Bed dimension: Alcove, L x W, approx. cm	200x150	200x150
Bed size centre (app. cm)	—	155x120-100
Bed size rear (app. cm)	204x141	—
Fold down bed rear (app. cm)	195x136 [○]	—
Refrigerator volume incl. freezer, approx. l	175 (34)	142 (15)
Fresh water supply, approx. l	100	100
Water supply, approx. l (whilst driving)	20	20
Waste water tank, approx. l	90	90
Insulation floor / side walls / roof, mm	40 / 34 / 30	40 / 34 / 30
Storage space for gas cylinder with max. 11 kg filling weight	2x 11kg	2x 11kg
Fiat Chassis		
Alloy Wheels 16"	●	●
Black frame headlights	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 649 G	TD 689 G
Cruise control	●	●
ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation))	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●
Electronic parking brake	●	●
Fix and Go Kit (Instead of Spare Wheel)	●	●
Front Lights with black frame	●	●
Fuel Tank, 75 ltr.	●	●
LED Daytime running lights	●	●
Paintwork Lanzarote Grey	●	●
Radiator grille with Bürstner logo, glossy black	●	●
Radiator grille with Bürstner logo, glossy black	●	●
Start and stop function	●	●
Traction Plus	●	●
Wheel / Tyre size 15 inches	●	●
Wider rear axle	●	●
Fiat Cab		
Adjustable passenger and drivers seats	●	●
Airbag Passenger	●	●
Automatic cab air conditioning	●	●
Cab blinds	●	●
Cup Holder for driver and passenger	●	●
Dashboard refinement Techno	●	●
Digital multifunction dashboard	●	●
Driver airbag	●	●
Heated and electrically adjustable mirrors	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 649 G	TD 689 G
Inductive charging station for smart phone	●	●
Inductive charging station for smartphones	●	●
Leather steering wheel and gear knob	●	●
Manual cab air conditioning with pollen filter	●	●
Paintwork Lanzarote Grey (Cab)	●	●
Pilot seats upholstered to match the living area	●	●
Steering wheel and gear shift in leather	●	●
Exterior Body		
Aluminium framed windows	●	●
Door sills	●	●
Double Glazed window with Blinds	●	●
Electric Door Step	●	●
Electrical inset step	●	●
Exterior Garage Door, left	●	—
Exterior Garage Door, right	●	●
GRP Roof	●	●
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	●	●
Harmony Line product graphics	●	●
One Piece Entry Door width: 700 mm	●	●
Rear bumper with chrome finish	●	●
Rear windows	●	—
Roll out awning in anthracite - 3.5 m inc. LED-lights	●	●
Roof Vent in Bathroom	—	●
Roof light in kitchen area for ventilation	●	●
Roof light in shower area	—	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 649 G	TD 689 G
Sleeping area roof light 40 x 40 cm	●	—
Sun-Roof	●	●
Third Brake Light	●	●
Habitation		
3rd and 4th belt-secured seat in the seating group	●	●
Alcove bed with Multi-zone comfort foam mattresses	●	●
Carpet to Cab & Living Area	●	●
Entrance element with design decor	—	●
Entry aid (handle) in the entrance area	●	●
Furniture Sandy Grey	●	●
Harmony Line embroidery	●	●
L shaped seating	—	●
Multi-zone comfort foam mattresses for fold-down bed	●	—
Rear seating group convertible to bed	●	—
Rotating worktop extension	—	●
Underfloor storage	●	●
Kitchen		
Combination oven	●	●
Illuminated wall panel	●	●
Magnetic holder for glasses	—	●
Multifunctional rail	●	●
Water System		
Cassette Toilet	●	●
Central Service Unit	●	●
High Performance Water Pump	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 649 G	TD 689 G
Waste water tank 90 ltr.	●	●
Water Tank 20 l - 120 l (20 litre in driving mode)	●	●
Electrical		
3 x 230 V Electric sockets	●	●
Additional Battery light "Home Light"	●	●
Awning rail	●	●
Back cabinets with indirect lighting	●	●
Ceiling paneling with indirect lighting	●	●
Charging booster	●	●
Charging station Home Light	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●
Facility for climate, SAT, solar	●	●
Front cabinets with indirect lighting	●	●
Home Light (2 pieces)	●	●
Illuminated mirror in the bathroom	●	●
Indirect feature LED lighting to worktops	●	●
Indirect kitchen lighting	●	●
Indirect lighting above the bar area	—	●
Indirect lighting on canopy bar	—	●
LED reading lights	●	●
Leisure battery 95Ah	●	●
Service Centre (Control Panel)	●	●
Socket in rear garage	●	●
Solar Panels 1 x 100 Watt	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	TD 649 G	TD 689 G
USB-Socket	●	●
Gas System		
Digital control panel CP plus	●	●
Exterior Gas Point	●	●
Gas Heater Combi 6 E (Standard)	●	●
Warm air circulation	●	●
Audio - Media		
Flatscreen holder	●	●
Multi Function Steering Wheel	●	●
Radio preparation including DAB + and antenna in Exterior mirrors	●	●
Reversing Camera	●	●
Uconnect radio with 10" screen and navigation (Apple Car Play and Android Auto) incl. steering wheel with multifunction buttons for radio control, reversing camera and air conditioning	●	●
Packages		
Harmony Line Package (Gallery 649)	●	—
Harmony Line Package (Gallery 689)	—	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Packages Lyseo Gallery TD

Harmony Line

Packages

Harmony Line Package (Gallery 649)	+41 kg*
Alloy Wheels 16"	
Radiator grille with Bürstner logo, glossy black	
Black frame headlights	
Heated and electrically adjustable mirrors	
Leather steering wheel and gear knob	
Pilot seats upholstered to match the living area	
Traction Plus	
Aluminium framed windows	
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	
Exterior Garage Door, left	
Cab blinds	
Rear bumper with chrome finish	
Harmony Line product graphics	
Harmony Line embroidery	
Sun-Roof	
Illuminated wall panel	
Additional Battery light "Home Light"	
Ceiling paneling with indirect lighting	
Front cabinets with indirect lighting	
Back cabinets with indirect lighting	
Indirect feature LED lighting to worktops	
Illuminated mirror in the bathroom	
Indirect kitchen lighting	
Special price	included

Harmony Line Package (Gallery 689)	+38 kg*
Alloy Wheels 16"	
Radiator grille with Bürstner logo, glossy black	
Black frame headlights	
Heated and electrically adjustable mirrors	
Leather steering wheel and gear knob	
Pilot seats upholstered to match the living area	
Traction Plus	
Aluminium framed windows	
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	
Rotating worktop extension	
Cab blinds	
Rear bumper with chrome finish	
Harmony Line product graphics	
Harmony Line embroidery	
Entrance element with design decor	
Sun-Roof	
Illuminated wall panel	
Additional Battery light "Home Light"	
Indirect lighting above the bar area	
Ceiling paneling with indirect lighting	
Front cabinets with indirect lighting	
Back cabinets with indirect lighting	
Indirect feature LED lighting to worktops	
Illuminated mirror in the bathroom	
Indirect kitchen lighting	
Special price	included

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Connect Package with 21.5" Smart TV	+6 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Special price	1,720.-

Winter Package - Alde	+72 kg*
Floor heating in cab - ALDE	
Heated drivers seat	
Heated passenger seat	
Alde Warmwater Heating	
Heated and insulated Wastewater Tank and Discharge	
Alde Booster	
Additional heat exchanger for hot water heating	
Special price	tbc

Winter Package	▲
Heated and insulated Wastewater Tank and Discharge	
Heated driver and passenger seats	
Special price	1,490.-

Fiat Chassis Packages

Fiat - Drive Easy Package	+3 kg*
Fog lights with cornering light	
Tyre pressure sensor for Fiat chassis	
Battery isolating switch for cab battery	
Special price	600.-

Fiat - Advance Safety Package	+1 kg*
Emergency brake assistant (pedestrian and cyclist detection)	
Lane departure warning	
Rain and Light Sensors	
Traffic sign recognition + high beam assistant	
Special price	1,560.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

▲ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo Gallery TD Harmony Line

● Standard ○ Optional extra □ Optional extra available in a package — Not possible △ Not yet known at the time of publication

Description	Price £ a)	TD 649 G	TD 689 G	Additional weight* (kg)
Fiat Engine				
Fiat Ducato 2,2 Multijet - 140 BHP - Euro VI E- Automatic Transmission	3,980.-	○	○	△
Fiat Ducato 2,2 Multijet - 180 BHP - Euro VI E - Automatic Transmission	7,860.-	○	○	△
Fiat Chassis				
All-season tyres ²¹⁾	340.-	○	○	0
Fuel tank, 90 ltr.	110.-	○	○	14
Full-LED headlights with black headlight frame	1,250.-	○	○	0
Trailer Coupling	1,570.-	○	○	50
Weight Increases				
Weight upgrade to 4,250 kg on Fiat chassis ²²⁾	1,880.-	○	○	40
Weight upgrade to 4,400 kg on Fiat chassis (160 BHP) ²³⁾	1,880.-	○	○	40
Exterior Body				
Bicycle Rack for 3 Bikes (max. load 60 kg)	410.-	○	○	15
Garage payload increase to 250 kg	tbc	○	○	3
Rear Corner Steadies	380.-	○	○	7
Roof light 50 x 70 cm	510.-	○	○	6
Roof light in kitchen area for ventilation	190.-	○	○	4
Roof light with fan in washroom	190.-	—	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	720.-	○	○	21
Habitation				
Dinette transformable to berth	430.-	●	○	10
Electric Drop Down bed in rear	2,020.-	○	—	50
Fitted Sheets for the bed in the alcove	70.-	○	○	1
Fitted sheets for the folding down bed	70.-	○	—	1
Isofix Child Seat Fastening	330.-	—	○	6



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	TD 649 G	TD 689 G	Additional weight* (kg)
Upholstery Casa Pino		o	o	0
Upholstery Osaka (full leather)	2,380.-	o	o	0
Kitchen				
Extractor Fan	250.-	o	o	2
Water System				
Heated Wastewater Tank	190.-	o	o	1
Outside Shower with Mixer Tap	230.-	o	o	3
Electrical				
Lithium battery 90 Ah	1,770.-	o	o	-13
Lithium battery 90 Ah in addition	1,770.-	o	o	13
Second Leisure Battery 95 Ah	390.-	o	o	27
Gas System				
Gas Alarm System for Propane, Butane and Narcotic Gas	350.-	o	o	1
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	1
Roof Air Conditioning 2460 W	2,170.-	o	o	37
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	390.-	□	□	1
Audio - Media				
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	550.-	o	o	4
WiFi Connect Module	1,030.-	□	□	3
Fiat Chassis Packages				
Fiat - Advance Safety Package	1,560.-	o	o	1
Fiat - Drive Easy Package	600.-	o	o	3
Packages				
Connect Package with 21.5" Smart TV ⁸⁾	1,720.-	o	o	6
Winter Package	1,490.-	o	o	Δ
Winter Package - Alde	tbc	o	o	72



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 690 G	I 726 G
Fiat Ducato 2,2 Multijet - 180 BHP - Euro VI E - Automatic Transmission	108,195.-	111,195.-
Overall length (app. cm)	698	736
Overall width (app. cm)	232	232
Overall height (app. cm)	291	291
Overall height Internal (app. cm)	198	198
Technically permissible maximum laden mass (kg)*	3850	3850
Mass in running order(kg)*	tbc	tbc
Manufacturer-specified mass for optional equipment (kg)*	tbc	tbc
Technically permissible maximum towable mass (ca. kg)	tbc	tbc
Wheelbase, approx. mm	4035	4035
Permitted number of seats (including driver)*	4	4 - 5 ○ ²⁴⁾
Sleeping berths	4	4
Fold down (app. cm)	194x143	194x143
Bed size centre (app. cm)	202x113-86 ○	206x110 ○
Bed size rear (app. cm)	194x79 199x79	199x79 200x79
Fold down bed rear (app. cm)	—	—
Refrigerator volume incl. freezer, approx. l	142 (15)	142 (15)
Fresh water supply, approx. l	100	100
Water supply, approx. l (whilst driving)	20	20
Waste water tank, approx. l	90	90
Insulation floor / side walls / roof, mm	40 / 34 / 34	40 / 34 / 34
Storage space for gas cylinder with max. 11 kg filling weight	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



I 727 G	I 736 G	I 744
111,795.-	112,495.-	112,195.-
736	736	736
232	232	232
291	291	291
198	198	198
3850	3850	3850
tbc	tbc	tbc
tbc	tbc	tbc
tbc	tbc	tbc
4035	4035	4035
4	4	4 - 5 o ²⁴⁾
4	4	4
194 x 143	194 x 143	194 x 143
202 x 102 - 64 o	202 x 102 - 64 o	—
207 x 79 / 203 x 79	190 x 150	—
—	—	199 x 140
142 (15)	142 (15)	142 (15)
120	120	120
20	20	20
90	90	90
40 / 34 / 34	40 / 34 / 34	40 / 34 / 29
2x 11kg	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 690 G	I 726 G
Fiat Chassis		
16 inch tyres on steel rims	●	●
16" Alloy wheels for Maxi chassis	●	●
Alloy Wheels 16"	●	●
Cruise control	●	●
ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation))	●	●
Front Fog Lights	●	●
Fuel Tank, 75 ltr.	●	●
Grille with chrome accents	●	●
LED Daytime Running Lights	●	●
Post-collision brake assistant	●	●
Start and stop function	●	●
Traction Plus	●	●
Wider rear axle	●	●
Weight Increases		
Weight upgrade to 4,400 kg on Fiat chassis (180 BHP)	●	●
Fiat Cab		
Airbag Driver	●	●
Airbag Passenger	●	●
Automatic cab air conditioning	●	●
Cab blinds	●	●
Cab door left Passenger	●	●
Cup Holder for driver and passenger	●	●
Dashboard refinement Techno	●	●
Digital multifunction dashboard	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 690 G	I 726 G
Heated and electrically adjustable mirrors	●	●
Inductive charging station for smartphones	●	●
Leather steering wheel and gear knob	●	●
Upholstered pilot seats, with height and inclination adjustment	●	●
Exterior Body		
Aluminium framed windows	●	●
Electric Door Step	●	●
Electrical inset step	●	●
Exterior Garage Door, left	●	●
Exterior Garage Door, right	●	●
GRP Roof	●	●
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	●	●
Harmony Line product graphics	●	●
Living area roof light 40 x 40 cm	●	●
One Piece Entry Door width: 700 mm	●	●
Rear bumper with chrome finish	●	●
Roll out awning in anthracite - 4.50 m inc. LED-lights	●	—
Roll out awning in anthracite - 5 m inc. LED-lights	—	●
Roof Vent in Bathroom	●	●
Roof light 50 x 70 cm	●	●
Roof light in kitchen area for ventilation	●	●
Roof light in shower area	—	—
Service flap in the right direction of travel	—	—
Sleeping area roof light 40 x 40 cm	●	●
Third Brake Light	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	1 690 G	1 726 G
White Paintwork	●	●
Habitation		
Canopy with integrated spotlights	●	●
Carpet to Cab & Living Area	●	●
Couch-to-Couch seating group incl. single-column table base, tabletop can be moved in all directions	—	—
Electric Drop Down bed in rear	—	—
Electric drop-down bed above the cab	●	●
Electric fold-down bed	●	●
Entrance element with design decor	●	●
Entry aid (handle) in the entrance area	●	●
Fixed Bed with Multi-zone comfort foam mattresses	●	●
Furniture Sandy Grey	●	●
Harmony Line embroidery	●	●
Infill cushion for single beds	●	●
L shaped seating	●	●
Thermofloor	●	●
Underfloor storage	●	●
Vario Roller Blinds	●	●
Kitchen		
Combination oven	●	●
Gas hob with electric ignition	●	●
Illuminated wall panel	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	1 690 G	1 726 G
Electrical		
230 V socket	●	●
Awning rail	●	●
Backlit mirror in the bathroom	●	●
Charging booster	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●
Facility for climate, SAT, solar	●	●
Home Light	●	●
Indirect feature LED lighting to worktops	●	●
Indirect lighting for drop-down bed shelving	●	●
Indirect lighting for entrance	●	●
Indirect lighting for headboard	●	●
Indirect lighting for rear drop-down bed	—	—
Indirect lighting for the living room roof, seating area, kitchen and rear bed	●	●
Indirect lighting from drop-down bed (only fold-down bed version)	●	●
Indirect lighting in wall unit	●	●
Indirect lighting to shower column	●	●
Leisure battery AGM 95 Ah	●	●
Light in Wardrobe	●	●
Lighting above bathroom sink	●	●
Roof cabinets with indirect lighting	●	●
Service Centre (Control Panel)	●	●
Socket in rear garage	●	●
Solar Panels 1 x 100 Watt	●	●
USB-Socket	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I Harmony Line



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 690 G	I 726 G
Water System		
Cassette Toilet	●	●
Central Service Unit	●	●
Gas System		
Digital control panel CP plus	●	●
Exterior Gas Point	●	●
Gas Heater Combi 6 E (Standard)	●	●
Audio - Media		
Flatscreen holder	●	●
Multi Function Steering Wheel	●	●
Reversing Camera	●	●
Sound System	●	●
Uconnect radio with 10" screen and navigation (Apple Car Play and Android Auto) incl. steering wheel with multifunction buttons for radio control, reversing camera and air conditioning	●	●
Packages		
Harmony Line Package Lyseo I (I 690 G, I 726 G, I 727 G, I 736)	●	●
Harmony Line Package Lyseo I 744	—	—

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Packages Lyseo | Harmony Line

Packages

Winter Package	▲
Heated and insulated Wastewater Tank and Discharge	
Heated driver and passenger seats	
Special price	1,490.-

Winter Package - Alde	+72 kg*
Floor heating in cab - ALDE	
Heated drivers seat	
Heated passenger seat	
Alde Warmwater Heating	
Heated and insulated Wastewater Tank and Discharge	
Alde Booster	
Additional heat exchanger for hot water heating	
Special price	tbc

Connect Package with 21.5" Smart TV	+6 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Special price	1,720.-

Connect Package 32" Smart TV	+9 kg*
LED TV 32" with triple tuner incl. TV holder	
WiFi Connect Module	
Special price	2,140.-

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Harmony Line Package Lyseo I (I 690 G, I 726 G, I 727 G, I 736)	+26 kg*
Alloy Wheels 16"	
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	
Indirect feature LED lighting to worktops	
Roof light 50 x 70 cm	
Entrance element with design decor	
Exterior Garage Door, left	
Rear bumper with chrome finish	
Backlit mirror in the bathroom	
Indirect lighting for drop-down bed shelving	
Indirect lighting to shower column	
Indirect lighting for entrance	
Indirect lighting for headboard	
Lighting above bathroom sink	
Indirect lighting for the living room roof, seating area, kitchen and rear bed	
Indirect lighting from drop-down bed (only fold-down bed version)	
Home Light	
Exterior Power Socket 230 V / 12 V / TV	
Grille with chrome accents	
Leather steering wheel and gear knob	
Front Fog Lights	
Harmony Line embroidery	
Harmony Line product graphics	
Traction Plus	
Vario Roller Blinds	
Special price	included

Harmony Line Package Lyseo I 744	+30 kg*
Alloy Wheels 16"	
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	
Indirect feature LED lighting to worktops	
Roof light 50 x 70 cm	
Entrance element with design decor	
Exterior Garage Door, left	
Rear bumper with chrome finish	
Lighting canopy for rear sideboard	
Backlit mirror in the bathroom	
Indirect lighting for drop-down bed shelving	
Indirect lighting to shower column	
Indirect lighting for entrance	
Lighting above bathroom sink	
Indirect lighting for the living room roof, seating area, kitchen and rear bed	
Indirect lighting for rear drop-down bed	
Indirect lighting from drop-down bed (only fold-down bed version)	
Home Light	
Exterior Power Socket 230 V / 12 V / TV	
Grille with chrome accents	
Leather steering wheel and gear knob	
Front Fog Lights	
Harmony Line embroidery	
Harmony Line product graphics	
Traction Plus	
Vario Roller Blinds	
Special price	included

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo I Harmony Line

● Standard ○ Optional extra □ Optional extra available in a package — Not possible △ Not yet known at the time of publication

Description	Price £ ^{a)}						Additional weight* (kg)
		I 690 G	I 726 G	I 727 G	I 736 G	I 744	
Fiat Chassis							
All-season tyres ²¹⁾	340.-	○	○	○	○	○	0
Battery disconnection switch	160.-	○	○	○	○	○	0
Fuel tank, 90 ltr.	110.-	○	○	○	○	○	14
Trailer Coupling	1,570.-	○	○	○	○	○	50
Tyre pressure sensor for Fiat chassis	230.-	○	○	○	○	○	1
Fiat Cab							
Insulated blackout honeycomb blind in driver's cab	tbc	○	○	○	○	○	1
Exterior Body							
Bicycle Rack for 3 Bikes (max. load 60 kg)	410.-	○	○	○	○	○	15
Garage payload increase to 250 kg	tbc	○	○	○	○	○	3
LED high beam and low beam	1,280.-	○	○	○	○	○	1
Rear Corner Steadies	380.-	○	○	○	○	○	7
Roof light in kitchen area for ventilation	190.-	○	○	○	○	○	4
Roof light with fan in washroom	190.-	○	○	○	○	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	720.-	○	○	○	○	○	21
Habitation							
Dinette transformable to berth	430.-	○	○	○	○	○	10
Fitted sheets for fixed beds	70.-	○	○	○	○	—	1
Fitted sheets for the folding down bed	70.-	○	○	○	○	○	1
Isofix Child Seat Fastening	330.-	○	○	—	—	○	6
Queens bed - height adjustable with large garage door on the left	1,570.-	—	—	—	○	—	34
Safe	180.-	○	○	○	○	○	4
Vario-Seat	690.-	—	○	—	—	○	14
Kitchen							
Extractor Fan	250.-	○	○	○	○	○	2



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	I 690 G	I 726 G	I 727 G	I 736 G	I 744	Additional weight* (kg)
Electrical							
Lithium battery 90 Ah ¹⁸⁾	1,770.-	o	o	o	o	o	-13
Lithium battery 90 Ah in addition ¹⁸⁾	1,770.-	o	o	o	o	o	13
Second Leisure Battery 95 Ah	390.-	o	o	o	o	o	27
Water System							
Heated Wastewater Tank	190.-	o	o	o	o	o	1
Outside Shower with Mixer Tap	230.-	o	o	o	o	o	3
Gas System							
Gas Alarm System for Propane, Butane and Narcotic Gas	350.-	o	o	o	o	o	1
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	o	o	o	1
Roof Air Conditioning 2460 W	2,170.-	o	o	o	o	o	37
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	390.-	o	o	o	o	o	1
Audio - Media							
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	290.-	o	o	o	o	o	2
LED TV 32" with triple tuner incl. TV holder	1,280.-	□	□	–	–	□	7
Sound System Premium	1,530.-	o	o	o	o	o	18
WiFi Connect Module	1,030.-	□	□	□	□	□	3
Packages							
Connect Package 32" Smart TV	2,140.-	o	o	o	o	o	9
Connect Package with 21.5" Smart TV	1,720.-	o	o	o	o	o	6
Winter Package	1,490.-	o	o	o	o	o	Δ
Winter Package - Alde	tbc	o	o	o	o	o	72



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 910 G	I 920 G
Mercedes Benz Sprinter 415 CDI – 150 HP / EURO VI E (4-Zylinder)	152,195.-	152,195.-
Overall length (app. cm)	899	899
Overall width (app. cm)	234	234
Overall height (app. cm)	305	305
Overall height Internal (app. cm)	205	205
Technically permissible maximum laden mass (kg)*	5500	5500
Mass in running order(kg)*	4328 (4112 - 4544)*	4328 (4112 - 4544)*
Manufacturer-specified mass for optional equipment (kg)*	808	808
Technically permissible maximum towable mass (ca. kg)	1500**	1500**
Wheelbase, approx. mm	4700	4700
Permitted number of seats (including driver)*	4	4
Sleeping berths	4	4
Fold down (app. cm)	194x147	194x147
Bed size rear (app. cm)	200x104-75 200x104-81	197x140
Refrigerator volume incl. freezer, approx. l	177 (35)	177 (35)
Fresh water supply, approx. l	140	140
Waste water tank, approx. l	50	50
Insulation floor / side walls / roof, mm	30 / 34 / 34	30 / 34 / 34
Storage space for gas cylinder with max. 11 kg filling weight	2x 11kg	2x 11kg
Mercedes Chassis		
17 " Alloy wheels	●	●
3 years free map updates	●	●
92 L fuel tank	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

** Total weight gross vehicle is 5.880,- kg

Elegance



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 910 G	I 920 G
ABS (anti-lock braking system) / ASR (anti-slip control) / EBFD (electronic braking force distribution) and ESP (electronic stability program)	●	●
Active brake assistant	●	●
AdBlue Tank 22 L	●	●
Automatic driving light control	●	●
Bürstner double floor concept	●	●
Cruise control	●	●
Eco Start Stop	●	●
Instrument cluster with colour display	●	●
Insulated and heated double floor	●	●
Jet nozzles I-table	●	●
LED Daytime Running Lights	●	●
Live traffic updates	●	●
Low frame chassis with through-loading function	●	●
Pre-equipment electr. for fog lights	●	●
Rear-view camera	●	●
Mercedes Cab		
Adjustable drivers seat	●	●
Adjustable passenger seat	●	●
Airbag Driver	●	●
Airbag Passenger	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 910 G	I 920 G
Cab door left Passenger	●	●
Comand Online	●	●
Cup Holder for driver and passenger	●	●
Horizontal cab blinds	●	●
Leather steering wheel and gear knob	●	●
Multi-functional steering wheel	●	●
Outside mirrors suspended in body color, electrically heated and adjustable, including wide-angle mirror	●	●
Pilot seats upholstered to match living area	●	●
Semi-automatic air-conditioning	●	●
Exterior Body		
Aluminium framed windows	●	●
Central locking for cab, habitation and garage doors	●	●
Electric Door Step	●	●
Exterior Garage Door, left	●	●
Exterior Garage Door, right	●	●
GRP Floor	●	●
GRP Roof	●	●
Habitation door - Premium XL (2-point locking, central locking, windows, mosquito net, waste bin and charging station for the Home-Light battery light)	●	●
Large through-loading compartment with double-sided access from the outside including an extra deep basement compartment and access from the inside	●	●
Low gas box for easy gas bottle change	●	●
Roll out awning in anthracite - 6 m	●	●
Roof light 50 x 70 cm	●	●
Roof light in kitchen area for ventilation	●	●
Roof light in shower area	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 910 G	I 920 G
Sleeping area roof light 40 x 40 cm	●	●
White Paintwork	●	●
Habitation		
Bed runner for bed	●	●
Carpet to Cab & Living Area	●	●
Comfort sleeping system with disc springs and multi-zone comfort foam mattress (es) for rear bed (s)	●	●
Couch to Couch seating group	●	●
Electric fold-down bed	●	●
Fitted sheets for fixed beds	●	●
Fitted sheets for the folding down bed	●	●
Fixed Bed with Multi-zone comfort foam mattresses	●	●
Furniture decor Carmela	●	●
Luxury table that can be moved lengthways and crossways	●	●
Scatter Cushions x 4	●	●
Vario Roller Blinds	●	●
Kitchen		
Combination oven	●	●
Extra durable mineral kitchen worktops	●	●
Extra wide, freely divisible kitchen drawers	●	●
Extractor Fan	●	●
Larder cabinet	●	●
Soft close function in the kitchen area	●	●
Water System		
140 L fresh water tank	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard ○ Optional extra — Not possible △ Not yet known at the time of publication

Models	I 910 G	I 920 G
50 L black water tank (holding tank)	●	●
Electric drain mode for black and gray water tanks	●	●
Outside Shower with Mixer Tap	●	●
Spacious bathroom with separate shower, wash area, toilet and wardrobe	●	●
Waste water tank 110 ltr.	●	●
iNDUS toilet system with app control IOS and Android	●	●
Electrical		
Charging station Home Light	●	●
Dimmable lighting	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●
Facility for climate, SAT, solar	●	●
Home Light	●	●
LED lighting	●	●
Leisure battery AGM 95 Ah	●	●
Light in Wardrobe	●	●
USB-Socket	●	●
Gas System		
Alde Warmwater Heating	●	●
Exterior Gas Point	●	●
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	●	●
Audio - Media		
Digital radio	●	●
Flatscreen holder	●	●
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	●	●
MBUX 10.25 inches	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Packages Elegance

Packages

Automatic pack	+38 kg*
Electric parking brake	
Leather steering wheel	
Automatic transmission 9G-Tronic including hold function	
DISTRONIC adaptive speed regulator	
Special price	4,390.-

Winter Pack	+24 kg*
Floor heating in cab - ALDE	
Heated drivers seat	
Heated passenger seat	
Additional heat exchanger for hot water heating	
Special price	4,490.-

Self-Sufficiency Pack	+48 kg*
Inverter 1800VA incl. Control unit, battery disconnecter, fuse	
Lithium battery 135 Ah (second battery) including display panel	
Solar system Teleco 2 x 100 W with controller	
Additional charger 230 V	
Special price	5,340.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Elegance

● Standard ○ Optional extra □ Optional extra available in a package — Not possible △ Not yet known at the time of publication

Description	Price £ a)	I 910 G	I 920 G	Additional weight* (kg)
Engine Mercedes				
Mercedes Benz Sprinter 417 CDI – 170 hp / EURO VI E (4-Zylinder)	1,900.-	○	○	△
Mercedes Chassis				
Full air suspension - Goldschmitt	12,570.-	○	○	80
LED high and low beam	1,280.-	○	○	1
Preparation for hydraulic jacks - Goldschmitt	830.-	○	○	20
Mercedes Cab				
Electric Cab Blinds	840.-	○	○	9
Insulating glazing for cab side windows	1,110.-	○	○	16
Exterior Body				
Rear Corner Steadies	380.-	○	○	7
Roof light 65 x 96 cm	640.-	○	○	6
Roof light in kitchen area for ventilation	190.-	○	○	4
Roof light with fan in washroom ⁷⁾	190.-	○	○	4
Silver Paintwork	4,050.-	○	○	1
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	740.-	○	○	21
Habitation				
Lifting table	270.-	○	○	1
Safe	180.-	○	○	4
Upholstery Alma (leather-fabric)	1,450.-	○	○	0
Upholstery Lima (full leather)	2,450.-	○	○	0
Upholstery Napa (full leather)	2,450.-	○	○	0
Water System				
Black water tank rollable	400.-	○	○	7



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	I 910 G	I 920 G	Additional weight* (kg)
Electrical				
3rd AGM body battery 95 Ah	410.-	o	o	28
BOS lithium battery 135 Ah in addition ²⁵⁾	2,350.-	o	o	21
Second Leisure Battery 95 Ah	410.-	o	o	27
Solar Panels 1 x 100 Watt ⁷⁾	510.-	□	□	12
Gas System				
Gas Alarm System for Propane, Butane and Narcotic Gas	350.-	o	o	1
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	1
Roof Air Conditioning 2460 W ⁷⁾	2,240.-	o	o	37
Audio - Media				
LED TV 32" with triple tuner incl. TV holder ²⁶⁾	1,280.-	o	o	7
Sound System Premium ²⁷⁾	1,530.-	o	o	18
Packages				
Automatic pack ²⁸⁾	4,390.-	o	o	38
Self-Sufficiency Pack	5,340.-	o	o	48
Winter Pack	4,490.-	o	o	24



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

FOOTNOTES

- ¹ 3rd berth with option "fold-down bed via center seating group // 4th berth with the option "Additional cushion for spare bed" (bed construction: dinette in connection with the driver's seat)
- ² 3rd + 4th sleeping place: accessory "fold-down bed above middle seating group" // 5th sleeping place: accessory "middle seating group convertible to bed"
- ³ Eco Pack at 140 BHP in conjunction with automatic transmission mandatory"
- ⁴ The number and arrangement of kitchen drawers can change.
- ⁵ Only in connection with Citroën
- ⁶ When ordering the automatic transmission in conjunction with aluminum rims, the Maxi aluminum rims are installed on the light chassis.
- ⁷ For the roof elements, make sure that there is only limited space for installation.
- ⁸ Combination of Teleco / Oyster SAT system and Connect package excluded.
- ⁹ An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass . To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partnersperson (technically permissible total mass must be taken into account)
- ¹⁰ 3rd and 4th berths with the option "middle seat group convertible to bed"
- ¹¹ "3rd and 4th berths with the option ""fold-down bed via center seat group"" // 5th berth with option ""center seat group convertible to bed"""
- ¹² The fold-down bed offers the option of sleeping crosswise or, by means of a manually pull-out extension in the direction of the driver's cab, sleeping lengthways. Then the size of the bed is. 200 x 200 cm (at the head end approx. 150 cm)
- ¹³ Not applicable when ordering sun awning including LED lighting.
- ¹⁴ 160 HP available until May 31, 2022
- ¹⁵ The roof hood, Midi Heki is not possible in conjunction with accessories "lift bed on center seat group.
- ¹⁶ The combination ""Sun-Roof XL"" with ""fold-down bed over the center seat group"" is not possible.
- ¹⁷ In the floor plans with a queen-size bed, the garage door is only possible in conjunction with the option ""Queens bed manually height adjustable"""
- ¹⁸ Lithium battery incompatible with AGM battery
- ¹⁹ Overall height (approx. cm) T-hood open : 360 cm
- ²⁰ 5. + 6 . Schlafplatz : Zubehör "Hubbett über Hecksitzgruppe"
- ²¹ Only in connection with aluminium rims
- ²² Only 140 BHP maxi.
- ²³ Only 180 BHP maxi.
- ²⁴ An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass . To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partners.
- ²⁵ Only in conjunction with the self-sufficiency package.
- ²⁶ In conjunction with Oyster WiFi connect system
- ²⁷ 8 loudspeakers (high / medium / low speaker inc. Subwoofer) only in conjunction with multimedia package.
- ²⁸ Only in connection with chassis package and multimedia package.

Please find more details concerning weight under "Important references"

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Bürstner configurator on our website offer you additional assistance in configuring your vehicle.

1. The technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is $\pm 5\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of $\pm 5\%$: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Bürstner makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Bürstner by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore $3 * 75 \text{ kg} = 225 \text{ kg}$.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of $\pm 5\%$ (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), **mass of the optional equipment** (see no. 4 above) and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg $\geq 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. $10 \text{ kg} * (4 + 6) = 100 \text{ kg}$.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass
– 2,850 kg mass in running order
– 3*75 kg mass of the passengers
– 100 kg minimum pay-mass
= 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3,500 kg technically permissible maximum laden mass
– 2,907 kg real weighed mass in running order
 (+ 2 % compared to the stated value of 2,850 kg)
– 3*75 kg mass of the passengers
– 325 kg optional equipment (maximum permissible value)
= 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Bürstner further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Bürstner will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

3,500 kg technically permissible maximum laden mass
– 2,907 kg real weighed mass in running order
 (+ 2 % compared to the stated value of 2,850 kg)
– 3*75 kg mass of the passengers
– 150 kg optional equipment ordered for the specific vehicle
= 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

IMPORTANT INSTRUCTIONS

Any change in the factory condition of your vehicle can impair driving and traffic safety

- Observe all relevant regulations for a safe operation of your vehicle
- Make sure that you have the correct drivers license to be able to drive the vehicle
- Installing roof structures and antennas will change the vehicle height
- Depending on the vehicle type, not all antennas/structures can be placed on the roof. Some accessories can be mounted.
- The technical data stated in this brochure correspond to the state of knowledge and production at the time of printing (August 2022) in terms of weight and dimensions as well as equipment and design. Bürstner reserves the right to make changes or improvements to the product at any time. We therefore recommend that during the information process and before concluding the contract, you check our website, using our configurator and/or with our authorised Bürstner dealer for any changes compared to this publication. • The technical data

in the catalogue includes the series status at the time of printing.

Despite a thorough review of the content we cannot rule out printing errors. During the respective model year, we reserve the right to change equipment and improve the products we make.

- The technical data in the catalogue includes the series status at the time of printing. Despite a thorough review of the content we cannot rule out printing errors. During the respective model year, we reserve the right to change equipment and improve the products we make.
- Deviations in structure and colour from those shown in the brochure are reserved insofar due to the nature of the materials used. They are normally commercially available.
- Please inform yourself about the current product and series condition before signing a contract at a Bürstner authorised trading partner.
- All accessory prices are for factory installation, in frame of a new vehicle.

UK - All prices are recommended retail prices in GBP including legal applicable VAT, On The Road Charges (OTR including delivery from Germany, registration and PDI). Possible import duties are not included and will be charged separately. Your local dealer informs you about the applicable prices, taxes and duties for your country. All prices are quoted in Sterling and include VAT @ 20%. Price details were current at the time of going to press. The publication of this price list shall render all previous prices invalid. Valid for deliveries after 01 august 2022. Prices may vary depending on your delivery date. The prices include statutory value added tax at the current rate of 20% and are subject to change in case of amendments to the tax rate or on introduction of tariffs. Subject to mistakes, printing errors and changes. All the information is based on UK specification.

Last revised: August 2022 - 08/22



Bürstner GmbH & Co. KG

Weststrasse 33

D-77694 Kehl

Tel. +49 7851 85-0

Fax +49 7851 85-201

info@buerstner.com

www.buerstner.com