MOTORHOMES

Prices & Technical Data

August 2022 Prices may vary depending on your delivery date.



UK 08/2022

NOTICE ON THE AVAILABILITY OF INDIVIDUAL COMPONENTS.

We reserve the right to adjust vehicle equipment and options in the event of material shortages in consultation with your trading partner.



BÜRSTNER

#wohnfühlen



QUALITY...

Choosing the right motorhome requires extensive information. Bürstner is not only characterised by good quality, well thought-out technology, and attractive design, but also offers many other advantages...

QUALITY IN SECURITY

Bürstner takes this issue very seriously and equips all motorhomes – if technically possible in the living area – with 3-point seatbelts. You can also expect ABS (anti-lock braking system) as standard. In all models driver airbag comes as standard.

THOUGHTFUL FLOOR PLANS

Bürstner designs floor plans according to the needs of the users. If you want to travel with your friends or family, you will particularly appreciate our countless storage options, our dedication to the flexible and functional details and, above all, the homely atmosphere synonymous with Bürstner.

EXCEPTIONALLY GOOD PRICE-PERFORMANCE RATIO

What Bürstner already offers as standard – supplemented by the extremely attractive equipment packages – is second to none. Many of our customers use the opportunity to equip their vehicle with these packages (depending on the model) and thus secure their perfect motorhome.

WARRANTY*

Bürstner stands for #wohnfühlen – even after the purchase. That is why we offer you an all-round carefree package. In addition, you will receive both 2-years manufacturers guarantee as well as a 10-year guarantee against water ingress. Please note all guarantee conditions, which include prescribed and paid care and maintenance intervals. Your Bürstner dealer is available to answer your questions and will be happy to carry out the work for you. *According to guarantee conditions

MOTORHOMES

Contents


| Important information for choosing your motorhome | 4 |
|---|----|
| Limited T | 6 |
| Lyseo TD Harmony Line | 14 |
| Lyseo Gallery TD Harmony Line | 30 |
| Lyseo I Harmony Line | 40 |
| Elegance | 56 |

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Bürstner specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Bürstner weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated.


Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section.

| Models | T 660 | T 690 G | T 726 G | T 727 G |
|--|------------------------|------------------------|------------------------|----------------------|
| Fiat Ducato Multijet 3 - 2,2 L - 120 hp - Euro 6d Final | 1 000 | 10300 | 17255 | 1727 G |
| Overall length (app. cm) | 695 | 698 | 742 | 742 |
| Overall width (app. cm) | 232 | 232 | 232 | 232 |
| Overall height (app. cm) | 295 | 295 | 295 | 295 |
| Overall height Internal (app. cm) | 212 | 212 | 212 | 212 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3500 | 3500 | 3500 |
| Mass in running order(kg)* | 3015 (2864 - 3166)* | 2994 (2844 - 3144)* | 3102 (2947 - 3257)* | 3126 (2970 3282)* |
| Manufacturer-specified mass for optional equipment* | 126 | 150 | 34 | 10 |
| Technically permissible maximum towable mass (ca. kg) | 2000 | 2000 | 2000 | 2000 |
| Wheelbase, approx. mm | 3800 | 3800 | 4035 | 4035 |
| Permitted number of seats (including driver)* | 4-50 | 4 | 4-50 | 4 |

4. The manufacturer-specified mass for optional equipment...

... is a value set by Bürstner per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.



5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.





Standard O Optional extra ─ Not possible \triangle Not yet known at the time of publication

| Models | T 690 G | T 727 G |
|--|-----------------------|------------------------------|
| Fiat Ducato Multijet 3 - 2,2 L - 140 hp - Euro VI E (Heavy Duty) | 76,495 | 77,795 |
| Overall length (app. cm) | 698 | 742 |
| Overall width (app. cm) | 232 | 232 |
| Overall height (app. cm) | 295 | 295 |
| Overall height Internal (app. cm) | 212 | 212 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3850 |
| Mass in running order(kg)* | 3035 (2883 - 3187)* | 3167 (3009 - 3325)* |
| Manufacturer-specified mass for optional equipment (kg)* | 109 | 319 |
| Technically permissible maximum towable mass (ca. kg) | 2000 | 2000 |
| Wheelbase, approx. mm | 3800 | 4035 |
| Permitted number of seats (including driver)* | 4 | 4 |
| Sleeping berths | 2 - 4 o ¹⁾ | 2 - 5 o ²⁾ |
| Bed size centre (app. cm) | 170x105-52 o | _ |
| Fold down bed (app. cm) | 200x96-77 o | 200×140 o |
| Bed size rear (app. cm) | 203×80 197×80 | 209×80 202×80 |
| Refrigerator volume incl. freezer, approx. l | 142 (15) | 142 (15) |
| Fresh water supply, approx. l | 100 | 100 |
| Water supply, approx. l (whilst driving) | 20 | 20 |
| Waste water tank, approx. l | 90 | 90 |
| Insulation floor / side walls / roof, mm | 49 / 34 / 34 | 49 / 34 / 34 |
| Storage space for gas cylinder with max. 11 kg filling weight | 2x 11kg | 2x 11kg |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| Standard | O Optional extra | ─ Not possible | Δ Not yet known at the time of publication |
|----------------------------|------------------|----------------|---|
|----------------------------|------------------|----------------|---|

| Models | T 690 G | T 727 G |
|---|---------|---------|
| Fiat Chassis | 1 030 0 | 1727 G |
| | | |
| 16" Alloy wheels | • | • |
| Crosswind assistant | • | • |
| Cruise control | • | • |
| ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation) | • | • |
| Electronic parking brake | • | • |
| Emergency brake assistant (pedestrian and cyclist detection) | • | • |
| Fix and Go Kit (Instead of Spare Wheel) | • | • |
| Front Lights with black frame | • | • |
| Fuel Tank, 75 ltr. | • | • |
| LED Daytime running lights | • | • |
| Start and stop function ³⁾ | • | • |
| Traction Plus | • | • |
| Fiat Cab | | |
| Airbag Driver | • | • |
| Airbag Passenger | • | • |
| Automatic cab air conditioning | • | • |
| Cup Holder for driver and passenger | • | • |
| Dashboard refinement Techno | • | • |
| Digital multifunction dashboard | • | • |
| Heated and electrically adjustable mirrors | • | • |
| Inductive charging station for smartphones | • | • |
| Manual cab air conditioning with pollen filter | • | • |
| Multifunction buttons for steering wheel | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

O Optional extra

─ Not possible

Standard

Models

GRP Roof

Third Brake Light

Habitation



T 690 G



| Steering wheel and gear shift in leather | • | • |
|--|---|---|
| Exterior Body | | |
| Aluminium framed windows | • | • |
| Electrical inset step | • | |
| Exterior Garage Door, left | • | |
| Exterior Garage Door, right | • | |

 \triangle Not yet known at the time of publication

| Habitation door - Premium XL (2-point locking, central locking, windows, mosquito net, waste bin and charging station for the Home-Light battery light) | • | • | |
|---|---|---|--|
| Paintwork metallic Black (cab) | • | • | |
| Roll out awning in anthracite - 4.0 m inc. LED-lights | • | - | |
| Roll out awning in anthracite - 4.50 m inc. LED-lights | _ | • | |
| Roof Vent in Bathroom | • | • | |
| Roof light 50 x 70 cm | • | • | |
| Sleeping area roof light 40 x 40 cm | • | • | |
| Sun-Roof | • | • | |

| Fixed Bed with Multi-zone comfort foam mattresses | • | • |
|---|---|---|
| Folding table | _ | • |
| Infill cushion for single beds | • | • |
| L shaped seating | • | _ |
| Rear roof locker ventilator | • | • |
| Riva Loft Furniture | • | • |

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| ● Standard Optional extra Not possible △ Not yet known at the time of publication | | |
|---|---------|---------|
| Models | T 690 G | T 727 G |
| Vario Roller Blinds | • | • |
| Kitchen | | |
| 3 flame hob with glass cover and separate sink and chopping board | • | • |
| Coffee capsule holder | • | • |
| Combination oven ⁴⁾ | • | _ |
| Compressor fridge 142 litres (Freezer 15 ltr.) | • | • |
| Gas oven | | • |
| Illuminated wall panel | • | • |
| Water System | | |
| Cassette Toilet | • | • |
| High Performance Water Pump | • | • |
| Electrical | | |
| Backlit mirror in the bathroom | • | • |
| Charging booster 30A | • | • |
| Exterior Power Socket 230 V / 12 V / TV | • | • |
| Facility for climate, SAT, solar | • | • |
| Indirect ceiling lighting | • | • |
| Indirect feature LED lighting to worktops | • | • |
| Indirect lighting on rear lockers | • | • |
| LED lighting in cabinet | • | - |
| Leisure battery AGM 95 Ah | • | • |
| Light in Wardrobe | • | • |
| Power sockets 12 V / 230 V | • | • |



Service Centre (Control Panel)

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| lacktriangle Standard $lacktriangle$ Optional extra $lacktriangle$ Not yet known at the time of publication | | |
|---|---------|---------|
| Models | T 690 G | T 727 G |
| Socket in rear garage | • | • |
| USB-Socket | • | • |
| Gas System | | |
| Digital control panel CP plus | • | • |
| Gas Heater Combi 6 E (Standard) | • | • |
| Audio - Media | | |
| Flatscreen holder | • | • |
| Multimedia system AVH-75100 DAB inc. rear camera ⁵⁾ | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Packages Limited T

Fiat Chassis Packages

| Fiat - Drive Easy Package | +3 kg* |
|--|--------|
| Fog lights with cornering light | |
| Tyre pressure sensor for Fiat chassis | |
| Battery isolating switch for cab battery | |
| Special price | 600 |

Packages

| Connect package with 21.5 "Smart TV | +18 kg* |
|-------------------------------------|---------|
| 21.5" Oyster Smart TV | |
| WiFi Connect Module | |
| Solar Panels 1 x 100 Watt | |
| Special price | 2,130 |

| Winter Pack | +12 kg* |
|--|---------|
| Heated and insulated Wastewater Tank and Discharge | |
| Electric Underfloor Heating | |
| Heated driver and passenger seats | |
| Special price | 1,800 |

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Limited T

| ● Standard | O Optional extra | □ Optional extra available in a package | — Not possible | Δ Not yet known at the time of publication | | | | |
|------------|---------------------------------------|---|----------------|---|---------|---------|---------|-------------------------|
| Descriț | otion | | | | Price £ | T 690 G | T 727 G | Additional weight* (kg) |
| Fiat En | gine | | | | | | | |
| | cato Multijet 3 - atic transmissio | - 2,2 L - 140 hp - Euro VI E (He n ⁶⁾ | avy Duty) with | 9 speed torque converter | 3,980 | 0 | 0 | Δ |
| Fiat Ch | assis | | | | | | | |
| Fuel ta | nk, 90 ltr. | | | | 110 | 0 | 0 | 14 |
| Full-LE | D headlights wit | th black headlight frame | | | 1,250 | 0 | 0 | 0 |
| Exterio | or Body | | | | | | | |
| Bicycle | Rack for 3 Bike | es (max. load 60 kg) | | | 420 | 0 | 0 | 15 |
| Roof lig | ght in kitchen ar | ea for ventilation | | | 190 | 0 | 0 | 4 |
| Roof lig | ght with fan in w | vashroom | | | 190 | 0 | 0 | 4 |
| Telesco | opic bicycle racł | k for 3 bikes (max. load 50 kg) | | | 740 | 0 | 0 | 21 |
| Habita | tion | | | | | | | |
| Carpet | to Cab & Living | g Area | | | 460 | 0 | 0 | 7 |
| Dinette | e transformable | to berth | | | 440 | _ | 0 | 10 |
| Electric | Fold-down bed | d over Seating | | | 2,020 | 0 | 0 | 50 |
| Fitted | sheets for fixed | beds | | | 70 | 0 | 0 | 1 |
| Fitted | sheets for the fo | olding down bed | | | 70 | 0 | 0 | 1 |
| Isofix C | child Seat Faster | ning | | | 330 | 0 | _ | 6 |
| Option | al cushion for o | ccassional bed | | | 220 | 0 | _ | 3 |
| Water | System | | | | | | | |
| Heated | l Wastewater T | ank | | | 190 | 0 | 0 | 1 |
| Outside | e Shower with N | 1ixer Tap | | | 230 | 0 | 0 | 3 |
| Electri | cal | | | | | | | |
| Second | Leisure Batter | y 95 Ah | | | 410 | 0 | 0 | 27 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

| Solar Panels 1 x 100 Watt 7) c c c 12 Gas System Exterior Gas Point 260 o o 1 Gas Alarm System for Propane, Butane and Narcotic Gas 350 o 1 Remote indication for Security Gas Pressure Regulator Toptron (CPU) 70 o o 1 Roof Air Conditioning 2460 W 7) 2,240 o o 37 Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 o o 1 Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV 300 o o 2 Media center with navigation (Navgate) including reversing camera 5) 720 o o 5 WiFi Connect Module 7) 1,060 a a 3 Fiat Chassis Packages Fiat - Drive Easy Package 600 o o 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 o o 18 Winter Pac | Description | Price £ | Т 690 G | T 727 G | Additional weight* (kg) |
|---|--|---------|---------|---------|-------------------------|
| Exterior Gas Point 260 o 0 1 Gas Alarm System for Propane, Butane and Narcotic Gas 350 o 0 1 Remote indication for Security Gas Pressure Regulator Toptron (CPU) 70 o 0 1 Roof Air Conditioning 2460 W 7) 2,240 o 0 37 Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 o 0 1 Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV 300 o 0 2 Media center with navigation (Navgate) including reversing camera 5) 720 o 0 5 WiFi Connect Module 7) 1,060 □ □ 3 Fiat Chassis Packages Fiat - Drive Easy Package 600 o 0 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 o 0 18 | Solar Panels 1 x 100 Watt ⁷⁾ | 510 | | _ | 12 |
| Gas Alarm System for Propane, Butane and Narcotic Gas Remote indication for Security Gas Pressure Regulator Toptron (CPU) Roof Air Conditioning 2460 W 7) Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV Media center with navigation (Navgate) including reversing camera 5) WiFi Connect Module 7) Fiat Chassis Packages Fiat - Drive Easy Package 600 0 0 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 0 0 18 | Gas System | | | | |
| Remote indication for Security Gas Pressure Regulator Toptron (CPU) Roof Air Conditioning 2460 W ⁷⁾ Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 o o 1 Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV Media center with navigation (Navgate) including reversing camera ⁵⁾ WiFi Connect Module ⁷⁾ Fiat Chassis Packages Fiat - Drive Easy Package Connect package with 21.5 "Smart TV ⁸⁾ 2,130 o o 18 | Exterior Gas Point | 260 | 0 | 0 | 1 |
| Roof Air Conditioning 2460 W ⁷⁾ Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 o o 1 Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV Media center with navigation (Navgate) including reversing camera ⁵⁾ WiFi Connect Module ⁷⁾ 1,060 □ □ 3 Fiat Chassis Packages Fiat - Drive Easy Package 600 o o 3 Packages Connect package with 21.5 "Smart TV ⁸⁾ 2,130 o o 18 | Gas Alarm System for Propane, Butane and Narcotic Gas | 350 | 0 | 0 | 1 |
| Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV Media center with navigation (Navgate) including reversing camera 5) WiFi Connect Module 7) Tiat Chassis Packages Fiat - Drive Easy Package Fiat - Drive Easy Package Connect package with 21.5 "Smart TV 8) 2,130 o o 18 | Remote indication for Security Gas Pressure Regulator Toptron (CPU) | 70 | 0 | 0 | 1 |
| Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV Media center with navigation (Navgate) including reversing camera 5) WiFi Connect Module 7) Ti,060 □ □ 3 Fiat Chassis Packages Fiat - Drive Easy Package 600 o o 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 o o 18 | Roof Air Conditioning 2460 W ⁷⁾ | 2,240 | 0 | 0 | 37 |
| Flatscreen holder, additional in the rear incl. Preparation for 2nd TV Media center with navigation (Navgate) including reversing camera 5) WiFi Connect Module 7) Ti,060 | Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility | 390 | 0 | 0 | 1 |
| Media center with navigation (Navgate) including reversing camera 5) WiFi Connect Module 7) 1,060 □ □ 3 Fiat Chassis Packages Fiat - Drive Easy Package 600 o o 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 o o 18 | Audio - Media | | | | |
| WiFi Connect Module 7) 1,060 □ □ 3 Fiat Chassis Packages Fiat - Drive Easy Package 600 o o 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 o o 18 | Flatscreen holder, additional in the rear incl. Preparation for 2nd TV | 300 | 0 | 0 | 2 |
| Fiat Chassis Packages Fiat - Drive Easy Package 600 o o 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 o o 18 | Media center with navigation (Navgate) including reversing camera ⁵⁾ | 720 | 0 | 0 | 5 |
| Fiat - Drive Easy Package 600 o o 3 Packages Connect package with 21.5 "Smart TV 8) 2,130 o o 18 | WiFi Connect Module ⁷⁾ | 1,060 | _ | | 3 |
| Packages Connect package with 21.5 "Smart TV ⁸⁾ 2,130 o o 18 | Fiat Chassis Packages | | | | |
| Connect package with 21.5 "Smart TV ⁸⁾ 2,130 o o 18 | Fiat - Drive Easy Package | 600 | 0 | 0 | 3 |
| | Packages | | | | |
| Winter Pack 1,800 o o 12 | Connect package with 21.5 "Smart TV ⁸⁾ | 2,130 | 0 | 0 | 18 |
| | Winter Pack | 1,800 | 0 | 0 | 12 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



Lyseo TD Harmony Line







Standard

O Optional extra

- Not possible \triangle Not yet known at the time of publication

| · | | | |
|--|------------------------|---------------------|------------------------|
| Models | TD 594 HL | TD 644 G HL | TD 680 G HL |
| Fiat Ducato Multijet 3 - 2,2 L - 140 hp - Euro VI E (Heavy Duty) | 80,695 | 83,195 | 83,195 |
| Overall length (app. cm) | 599 | 699 | 689 |
| Overall width (app. cm) | 230 | 230 | 230 |
| Overall height (app. cm) | 295 | 295 | 295 |
| Overall height Internal (app. cm) | 205 | 205 | 205 |
| Technically permissible maximum laden mass (kg)* | 3500 | 3850 | 3850 |
| Mass in running order(kg)* | 3021 (2870 - 3172)* | 3127 (2971 - 3283)* | 3172 (3013 - 3331)* |
| Manufacturer-specified mass for optional equipment (kg)* | 140 | 363 | 321 |
| Technically permissible maximum towable mass (ca. kg) | 2000 | 2000 | 2000 |
| Wheelbase, approx. mm | 3800 | 3800 | 4035 |
| Permitted number of seats (including driver)* | 4 | 4 | 4 |
| Sleeping berths | 2 - 4 o ¹⁰⁾ | 4 | 2 - 4 o ¹⁰⁾ |
| Bed size centre (app. cm) | 206x120 o | _ | 206x130 o |
| Fold down bed (app. cm) | 199x140 | - | 200×160 |
| Bed size rear (app. cm) | _ | 205x155-135 | _ |
| Fold down bed rear (app. cm) | - | 206x138 | - |
| Refrigerator volume incl. freezer, approx. l | 133 (12) | 175 (34) | 142 (15) |
| Fresh water supply, approx. l | 100 | 100 | 100 |
| Water supply, approx. l (whilst driving) | 20 | 20 | 20 |
| Waste water tank, approx. l | 90 | 90 | 90 |
| Insulation floor / side walls / roof, mm | 41/30/30 | 41/30/30 | 41/30/30 |
| Storage space for gas cylinder with max. 11 kg filling weight | 2x 11kg | 2x 11kg | 2x 11kg |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at











| TD 690 G HL | TD 727 G HL | TD 732 HL | TD 736 HL | TD 744 HL |
|------------------------------|------------------------|-------------------------|------------------------|------------------------------|
| 83,195 | 85,595 | 84,395 | 85,595 | 86,795 |
| 699 | 749 | 717 | 749 | 749 |
| 230 | 230 | 230 | 230 | 230 |
| 295 | 295 | 295 | 295 | 295 |
| 205 | 205 | 205 | 205 | 205 |
| 3500 | 3850 | 3850 | 3850 | 3850 |
| 3109 (2954 - 3264)* | 3222 (3061 - 3383)* | 3162 (3004 - 3320)* | 3222 (3061 - 3383)* | 3272 (3108 - 3436)* |
| 41 | 273 | 335 | 274 | 212 |
| 2000 | 2000 | 2000 | 2000 | 2000 |
| 4035 | 4300 | 4035 | 4300 | 4300 |
| 4 - 5 o ⁹⁾ | 4 | 4 | 4 | 4 - 5 o ⁹⁾ |
| 2 - 5 o ¹¹⁾ | 2 - 5 o ¹¹⁾ | 2 - 5 o ¹¹⁾ | 2 - 5 o ¹¹⁾ | 2 - 5 o ¹¹⁾ |
| 210 x 115 - 86 o | 207 x 105 - 102 o | 208 x 105 - 65 o | 207 x 105 - 102 o | 210 x 125 - 97 o |
| 200 x 135 - 125 o | 200 x 135 - 125 o | 200 x 134 o | 200 x 135 - 125 o | 200 x 135 - 125 o |
| 199 x 80 - 63 / 190 x 80 | 2x 202 x 80 | 190 x 145 | 190 x 145 | - |
| - | - | - | - | 200 x 155 |
| 142 (15) | 133 (12) | 133 (12) | 133 (12) | 133 (12) |
| 100 | 100 | 100 | 100 | 100 |
| 20 | 20 | 20 | 20 | 20 |
| 90 | 90 | 90 | 90 | 90 |
| 41/30/30 | 41/30/30 | 41/30/30 | 41/30/30 | 41/30/30 |
| 2x 11kg | 2x 11kg | 2x 11kg | 2x 11kg | 2x 11kg |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Lyseo TD Harmony Line







| Standard | Optional extra | Not possible | Δ Not yet known at the time of publication |
|----------------------------|------------------------------------|----------------------------------|---|
|----------------------------|------------------------------------|----------------------------------|---|

| Models | TD 594 HL | TD 644 G HL | TD 680 G HL |
|---|-----------|-------------|-------------|
| Fiat Chassis | | • | |
| 16" Alloy wheels | • | • | • |
| Cruise control | • | • | • |
| ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation) | • | • | • |
| Electronic parking brake | • | • | • |
| Fiat Ducato Low Level chassis | • | • | • |
| Fix and Go Kit (Instead of Spare Wheel) | • | • | • |
| Front Lights with black frame | • | • | • |
| LED Daytime running lights | • | • | • |
| Painted front bumper | • | • | • |
| Post-collision brake assistant | • | • | • |
| Start and stop function | • | • | • |
| Traction Plus | • | • | • |
| Fiat Cab | | | |
| Airbag Passenger | • | • | • |
| Automatic cab air conditioning | • | • | • |
| Cab blinds | • | • | • |
| Cup Holder for driver and passenger | • | • | • |
| Dashboard refinement Techno | • | • | • |
| Digital multifunction dashboard | • | • | • |
| Driver airbag | • | • | • |
| Heated and electrically adjustable mirrors | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at











| TD 690 G HL | TD 727 G HL | TD 732 HL | TD 736 HL | TD 744 HL |
|-------------|-------------|-----------|-----------|-----------|
| | | | | |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| | | | | |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Lyseo TD Harmony Line







| ■ Staridard Optional extra — Not possible Not yet known at the time of publica | Standard | Optional extra | Not possible | \triangle Not yet known at the time of publicat |
|--|------------------------------|------------------------------------|----------------------------------|---|
|--|------------------------------|------------------------------------|----------------------------------|---|

| Thou yet known at the time of publication | | | |
|---|-----------|-------------|-------------|
| Models | TD 594 HL | TD 644 G HL | TD 680 G HL |
| Inductive charging station for smartphones | • | • | • |
| Multifunction buttons for steering wheel | • | • | • |
| Pilot seats upholstered to match the living area | • | • | • |
| Steering wheel and gear shift in leather | • | • | • |
| Exterior Body | | | |
| Aluminium framed windows | • | • | • |
| Door sills | _ | • | • |
| Electric Door Step | • | • | • |
| Exterior Garage Door, left | _ | • | • |
| Exterior Garage Door, right | _ | • | • |
| GRP Floor | • | • | • |
| GRP Roof | • | • | • |
| Habitation door - Premium XL (2-point locking, central locking, windows, mosquito net, waste bin and charging station for the Home-Light battery light) | • | • | • |
| Living area roof light 40 x 40 cm | • | • | • |
| Paintwork of driver's cab and body in white | • | • | • |
| Rear bumper with chrome finish | • | • | • |
| Roll out awning in anthracite - 3.0 m inc. LED-lights | • | _ | _ |
| Roll out awning in anthracite - 4.0 m inc. LED-lights | _ | • | • |
| Roll out awning in anthracite - 4.50 m inc. LED-lights | _ | _ | _ |
| Roof Vent in Bathroom | • | • | • |
| Roof light in kitchen area for ventilation | • | • | • |
| Sun-Roof | • | • | • |
| Third Brake Light | • | • | • |
| | | | |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at











| TD 690 G HL | TD 727 G HL | TD 732 HL | TD 736 HL | TD 744 HL |
|-------------|-------------|-----------|-----------|-----------|
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| | | | | |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | _ | _ | - |
| • | • | - | - | - |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| _ | _ | _ | _ | _ |
| • | - | - | - | - |
| _ | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Lyseo TD Harmony Line







Standard O Optional extra ─ Not possible \triangle Not yet known at the time of publication

| Models | TD 594 HL | TD 644 G HL | TD 680 G HL |
|--|-----------|-------------|-------------|
| Habitation | | | |
| Carpet to Cab & Living Area | • | • | • |
| Drop-down bed can be used as a transverse or longitudinal bed $^{12)}$ | • | _ | _ |
| Electric Drop Down bed in rear | - | • | _ |
| Extendable hooking table | _ | _ | _ |
| Fixed Bed with Multi-zone comfort foam mattresses | • | • | • |
| Folding table | • | _ | • |
| Infill cushion for single beds | - | - | - |
| Lounge Pack | _ | _ | _ |
| Rear seating group convertible to bed | - | • | _ |
| Santina Furniture | • | • | • |
| Thermofloor | • | • | • |
| Underfloor storage | • | • | • |
| Vario Roller Blinds | • | • | • |
| Kitchen | | | |
| 3 flame hob with glass cover and separate sink and chopping board | • | • | • |
| Combination oven | • | • | • |
| Gas oven | - | - | - |
| Illuminated wall panel | • | • | • |
| Magnetic holder for glasses | • | • | • |
| Water System | | | |
| Cassette Toilet | • | • | • |
| High Performance Water Pump | • | • | • |
| Service Unit (central supply and disposal) | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at











| TD 690 G HL | TD 727 G HL | TD 732 HL | TD 736 HL | TD 744 HL |
|-------------|-------------|-----------|-----------|-----------|
| | | | | |
| • | • | • | • | • |
| _ | _ | _ | _ | _ |
| - | - | - | - | • |
| • | _ | _ | _ | • |
| • | • | • | • | • |
| _ | • | • | • | _ |
| • | • | - | - | - |
| _ | - | • | • | • |
| - | - | - | - | - |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| | | | | |
| • | • | • | • | • |
| • | _ | - | _ | • |
| - | • | • | • | - |
| • | • | • | • | • |
| • | - | - | - | • |
| | | | | |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at



Lyseo TD Harmony Line







| ■ Staridard Optional extra — Not possible Not yet known at the time of publica | Standard | Optional extra | Not possible | \triangle Not yet known at the time of publicat |
|--|------------------------------|------------------------------------|----------------------------------|---|
|--|------------------------------|------------------------------------|----------------------------------|---|

| Models | TD 594 HL | TD 644 G HL | TD 680 G HL |
|--|-----------|-------------|-------------|
| Electrical | | | |
| Charging station Home Light | • | • | • |
| Exterior Power Socket 230 V / 12 V / TV | • | • | • |
| Facility for climate, SAT, solar | • | • | • |
| Home Light | _ | _ | _ |
| Illuminated mirror in the bathroom | • | • | • |
| Indirect feature LED lighting to worktops | • | • | • |
| Indirect kitchen lighting | • | • | • |
| Indirect lighting on rear lockers | • | • | • |
| LED awning light with switch in the entrance area ¹³⁾ | • | • | • |
| Leisure battery AGM 95 Ah | • | • | • |
| Light in Wardrobe | • | • | • |
| Power sockets 12 V / 230 V | • | • | • |
| Roof cabinets with indirect lighting | • | • | • |
| Service Centre (Control Panel) | • | • | • |
| Socket in rear garage | - | • | • |
| Solar Panels 1 x 100 Watt | • | • | • |
| USB-Socket | • | • | • |
| Gas System | | | |
| Digital control panel CP plus | • | • | • |
| Exterior Gas Point | • | • | • |
| Gas Heater Combi 6 E | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at











| TD 690 G HL | TD 727 G HL | TD 732 HL | TD 736 HL | TD 744 HL |
|-------------|-------------|-----------|-----------|-----------|
| | ' | • | ' | |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| _ | _ | _ | _ | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | - | - | - |
| • | • | • | • | • |
| • | • | • | • | • |
| | | | | |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at



Lyseo TD Harmony Line







| ● Standard Optional ext | a Not possible | ▲ Not yet known at the time of publication |
|-------------------------|----------------|--|
|-------------------------|----------------|--|

| Models | TD 594 HL | TD 644 G HL | TD 680 G HL |
|--|-----------|-------------|-------------|
| Audio - Media | | | |
| Flatscreen holder | • | • | • |
| Multi Function Steering Wheel | • | • | • |
| Preparation for 2nd TV position | • | • | • |
| Radio preparation including DAB + and antenna in Exterior mirrors | • | • | • |
| Uconnect radio with 10" screen and navigation (Apple Car Play and Android Auto) incl. steering wheel with multifunction buttons for radio control, reversing camera and air conditioning | • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at











| • | • | • |
|---|-------|---------------------------------------|
| • | • | • |
| • | • | • |
| • | • | • |
| | | |
| • | • | • |
| | • • • | • • • • • • • • • • • • • • • • • • • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at



Packages Lyseo TD Harmony Line

Fiat Chassis Packages

| Fiat - Drive Easy Package | +3 kg* |
|--|--------|
| Fog lights with cornering light | |
| Tyre pressure sensor for Fiat chassis | |
| Battery isolating switch for cab battery | |
| Special price | 600 |

Packages

| Connect package with 21.5 "Smart TV | +18 kg* |
|-------------------------------------|---------|
| 21.5" Oyster Smart TV | |
| WiFi Connect Module | |
| Solar Panels 1 x 100 Watt | |
| Special price | 2,130 |

| Connect Pack with Smart TV 32" | +9 kg* |
|--|--------|
| Flat screen 32 inch Smart TV incl. Bluetooth keyboard, DVD, triple tuner | |
| WiFi Connect Module | |
| Solar Panels 1 x 100 Watt | |
| Special price | 2,590 |

| Winter Package | A |
|--|----------|
| Heated and insulated Wastewater Tank and Discharge | |
| Heated driver and passenger seats | |
| Special price | 1,490 |

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo TD Harmony Line

| Standard O Optional extra | lot yet known at the | time o | f public | ation | | | | | | |
|---|----------------------|-----------|-------------|-------------|-------------|-------------|-----------|-----------|-----------|-------------------------|
| Description | Price £ | TD 594 HL | TD 644 G HL | TD 680 G HL | TD 690 G HL | TD 727 G HL | TD 732 HL | TD 736 HL | TD 744 HL | Additional weight* (kg) |
| Fiat Engine | | | | | | | | | | |
| Fiat Ducato Multijet 3 - 2,2 L - 140 hp - Euro VI E (Heavy Duty) with 9 speed torque converter automatic transmission ⁶⁾ | 3,980 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Δ |
| Fiat Ducato Multijet 3 - 2,2 L - 160 hp - Euro VI E (Heavy Duty) ¹⁴⁾ | 2,630 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Δ |
| Fiat Ducato Multijet 3 - 2,2 L - 160 hp - Euro VI E (Heavy Duty) with 9 speed torque converter automatic transmission ^{6) 14)} | 6,610 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Δ |
| Weight Increases | | | | | | | | | | |
| Weight upgrade to 3.850 kg on Fiat Chassis (from 140 BHP) | 370 | 0 | • | • | 0 | • | • | • | • | 0 |
| Weight upgrade to 4,250 kg on Fiat chassis | 1,880 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 |
| Weight upgrade to 4,400 kg on Fiat chassis (160 BHP) | 1,880 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 |
| Fiat Chassis | | | | | | | | | | |
| Fuel tank, 90 ltr. | 110 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| Full-LED headlights with black headlight frame | 1,250 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Trailer Coupling | 1,570 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| Exterior Body | | | _ | _ | _ | | _ | _ | _ | |
| Bicycle Rack for 3 Bikes (max. load 60 kg) | 420 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| Rear Corner Steadies | 380 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| Roof light 50 x 70 cm $^{7)}$ 15) | 510 | 0 | - | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| Roof light in kitchen area for ventilation | 190 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Roof light with fan in washroom | 190 | 0 | - | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Sun-Roof XL in combination with rooflight 50 x 70 cm $^{16)}$ | 1,120 | _ | _ | _ | 0 | 0 | 0 | 0 | 0 | 27 |
| Telescopic bicycle rack for 3 bikes (max. load 50 kg) | 740 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| Habitation | | | | | | | | | | |
| Bahia Furniture | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dinette transformable to berth | 440 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| Electric Fold-down bed over Seating | 2,020 | • | • | • | 0 | 0 | 0 | 0 | 0 | 50 |
| ATA | | | | | | | | | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

| Description | Price £ | TD 594 HL | TD 644 G HL | TD 680 G HL | TD 690 G HL | TD 727 G HL | TD 732 HL | TD 736 HL | TD 744 HL | Additional weight* (kg) |
|---|---------|-----------|-------------|-------------|-------------|--------------|-----------|-----------|-----------|-------------------------|
| Fitted sheets for fixed beds | 70 | <u> </u> | - | _ | 0 | 0 | 0 | 0 | - | 1 |
| Fitted sheets for the folding down bed | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Isofix Child Seat Fastening | 330 | _ | - | _ | 0 | _ | - | _ | 0 | 6 |
| L shaped seating | 580 | _ | - | - | 0 | _ | - | - | 0 | 5 |
| Queens bed - height adjustable with large garage door on the left $^{17)}$ | 1,570 | _ | - | _ | _ | - | 0 | 0 | - | 34 |
| Upholstery Osaka (full leather) | 2,450 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Vario-Seat | 690 | _ | - | _ | 0 | - | - | _ | 0 | 14 |
| Kitchen | | | | | | | | | | |
| Extractor Fan | 250 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Water System | | | | | | | | | | |
| Heated Wastewater Tank | 190 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Outside Shower with Mixer Tap | 230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Electrical | | | | | | | | | | |
| Lithium battery 90 Ah ¹⁸⁾ | 1,770 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -13 |
| Lithium battery 90 Ah in addition ¹⁸⁾ | 1,770 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| Second Leisure Battery 95 Ah | 410 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 |
| Gas System | | | | | | | | | | |
| Gas Alarm System for Propane, Butane and Narcotic Gas | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Remote indication for Security Gas Pressure Regulator Toptron (CPU) | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Roof Air Conditioning 2460 W ⁷⁾ | 2,240 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 |
| Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility | 390 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Audio - Media | | | | | | | | | | |
| Flatscreen holder, additional in the rear incl. Preparation for 2nd TV | 300 | _ | - | _ | 0 | 0 | 0 | 0 | 0 | 2 |
| LED TV 32" with triple tuner incl. TV holder | 1,280 | - | - | - | - | - | - | - | 0 | 7 |
| WiFi Connect Module ⁷⁾ | 1,060 | _ | 0 | _ | _ | | _ | _ | | 3 |
| Fiat Chassis Packages | | | | | | | | | | |
| Fiat - Drive Easy Package | 600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Packages | | | | | | | | | | |
| Connect Pack with Smart TV 32" 8) | 2,590 | – | – | _ | – | - | – | _ | 0 | 9 |
| Connect package with 21.5 "Smart TV ⁸⁾ | 2,130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| Winter Package | 1,490 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Δ |
| | | | | | | | | | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

SERIAL DETAILS

Lyseo TD Harmony Line

- Automotiv sporty Harmony Line product graphics
- · Harmony Line entry element, with integrated control board, shelves and TV place, in the entrance area
- Marloes floor in bronze-structure style
- Upholstery in exclusive Harmony Line design with embroidery
- · Black radiator grille
- · Headlights with black frame
- LED Daytime Running Lights
- · Heated and electrically adjustable mirrors
- Traction Plus
- · Steering wheel and gear shift in leather
- Multi Function Steering Wheel
- · Fiat Comfort Pack with
 - · Electronic parking brake
 - · Dashboard in Techno finish
 - · Uconnect radio with 10 "screen and navigation (Apple Car Play and Android Auto) including reversing camera
 - · Digital multifunction dashboard
 - o Inductive charging station for smartphone
- Aluminium Framed Windows
- Skyroof
- One Piece Entry Door Hartal Premium XL
- · Central looking for entrance door Premium XL
- Additional garage door left side (exc. TL 590)
- Pilot seats upholstered to match the living area
- Remis cab blinds
- · Awning anthracite with LED
- Light Pack
- Carpet for Cab and Living area
- Window frame cover Style in kitchen
- Oven
- 100 Watt solar panel
- Exterior Power Socket 230 V / 12 V / TV
- Truma Combi 6 E
- Exterior Gas Point
- Holder for flatscreen

These offers are valid only in conjunction with the purchase of the listed motorhomes

Please find more details concerning weight under "Important references"





| Standard | O Optional extra | Not possible | $oldsymbol{\Delta}$ Not yet known at the time of publication |
|----------------------------|------------------|----------------------------------|--|
|----------------------------|------------------|----------------------------------|--|

| Standard Coptional extra Not possible Anotype known at the time of publication | | |
|--|-----------------------------------|-------------------|
| Models | TD 649 G | TD 689 G |
| Fiat Ducato 2,2 Multijet - 140 BHP - Euro VI E | 98,495 | 98,495 |
| Overall length (app. cm) | 699 | 690 |
| Overall width (app. cm) | 230 | 230 |
| Overall height (app. cm) | 299 ¹⁹ | 299 ¹⁹ |
| Overall height Internal (app. cm) | 205 | 205 |
| Technically permissible maximum laden mass (kg)* | 3850 | 3850 |
| Mass in running order(kg)* | tbc | tbc |
| Manufacturer-specified mass for optional equipment (kg)* | tbc | tbc |
| Technically permissible maximum towable mass (ca. kg) | tbc | tbc |
| Wheelbase, approx. mm | 3800 | 4035 |
| Permitted number of seats (including driver)* | 4 | 4 |
| Sleeping berths | 4 - 6 ₀ ²⁰⁾ | 3 |
| Bed dimension: Alcove, L x W, approx. cm | 200x150 | 200x150 |
| Bed size centre (app. cm) | - | 155x120-100 |
| Bed size rear (app. cm) | 204x141 | _ |
| Fold down bed rear (app. cm) | 195x136 o | - |
| Refrigerator volume incl. freezer, approx. l | 175 (34) | 142 (15) |
| Fresh water supply, approx. l | 100 | 100 |
| Water supply, approx. l (whilst driving) | 20 | 20 |
| Waste water tank, approx. l | 90 | 90 |
| Insulation floor / side walls / roof, mm | 40 / 34 / 30 | 40 / 34 / 30 |
| Storage space for gas cylinder with max. 11 kg filling weight | 2x 11kg | 2x 11kg |
| Fiat Chassis | | |
| Alloy Wheels 16" | • | • |
| Black frame headlights | • | • |



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| Standard Optional extra — Not possible Mot yet known at the time of publication | Standard | O Optional extra | ─ Not possible | \triangle Not yet known at the time of publicatio |
|---|------------------------------|------------------|----------------|---|
|---|------------------------------|------------------|----------------|---|

| Models | TD 649 G | TD 689 G |
|---|----------|----------|
| Cruise control | • | • |
| ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation) | • | • |
| ESP incl. Traction Control, Hill Holder and Traction Plus | • | • |
| Electronic parking brake | • | • |
| Fix and Go Kit (Instead of Spare Wheel) | • | • |
| Front Lights with black frame | • | • |
| Fuel Tank, 75 ltr. | • | • |
| LED Daytime running lights | • | • |
| Paintwork Lanzarote Grey | • | • |
| Radiator grille with Bürstner logo, glossy black | • | • |
| Radiator grille with Bürstner logo, glossy black | • | • |
| Start and stop function | • | • |
| Traction Plus | • | • |
| Wheel / Tyre size 15 inches | • | • |
| Wider rear axle | • | • |
| Fiat Cab | | |
| Adjustable passenger and drivers seats | • | • |
| Airbag Passenger | • | • |
| Automatic cab air conditioning | • | • |
| Cab blinds | • | • |
| Cup Holder for driver and passenger | • | • |
| Dashboard refinement Techno | • | • |
| Digital multifunction dashboard | • | • |
| Driver airbag | • | • |
| Heated and electrically adjustable mirrors | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| Standard | O Optional extra | ─ Not possible | igtriangle Not yet known at the time of publication |
|----------------------------|------------------|----------------|---|
|----------------------------|------------------|----------------|---|

| Models | TD 649 G | TD 689 G |
|---|----------|----------|
| Inductive charging station for smart phone | 150454 | 15005 G |
| Inductive charging station for smartphones | • | • |
| Leather steering wheel and gear knob | | |
| Manual cab air conditioning with pollen filter | • | • |
| Paintwork Lanzarote Grey (Cab) | | |
| Pilot seats upholstered to match the living area | | • |
| | | |
| Steering wheel and gear shift in leather | • | • |
| Exterior Body | | |
| Aluminium framed windows | • | • |
| Door sills | • | • |
| Double Glazed window with Blinds | • | • |
| Electric Door Step | • | • |
| Electrical inset step | • | • |
| Exterior Garage Door, left | • | - |
| Exterior Garage Door, right | • | • |
| GRP Roof | • | • |
| Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light) | • | • |
| Harmony Line product graphics | • | • |
| One Piece Entry Door width: 700 mm | • | • |
| Rear bumper with chrome finish | • | • |
| Rear windows | • | _ |
| Roll out awning in anthracite - 3.5 m inc. LED-lights | • | • |
| Roof Vent in Bathroom | _ | • |
| Roof light in kitchen area for ventilation | • | • |
| Roof light in shower area | _ | • |



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| lacktriangle Standard $lacktriangle$ Optional extra $lacktriangle$ Not possible $lacktriangle$ Not yet known at the time of publication | | |
|---|----------|----------|
| Models | TD 649 G | TD 689 G |
| Sleeping area roof light 40 x 40 cm | • | _ |
| Sun-Roof Sun-Roof | • | • |
| Third Brake Light | • | • |
| Habitation | | |
| 3rd and 4th belt-secured seat in the seating group | • | • |
| Alcove bed with Multi-zone comfort foam mattresses | • | • |
| Carpet to Cab & Living Area | • | • |
| Entrance element with design decor | - | • |
| Entry aid (handle) in the entrance area | • | • |
| Furniture Sandy Grey | • | • |
| Harmony Line embroidery | • | • |
| L shaped seating | - | • |
| Multi-zone comfort foam mattresses for fold-down bed | • | _ |
| Rear seating group convertible to bed | • | - |
| Rotating worktop extension | _ | • |
| Underfloor storage | • | • |
| Kitchen | | |
| Combination oven | • | • |
| Illuminated wall panel | • | • |
| Magnetic holder for glasses | - | • |
| Multifunctional rail | • | • |
| Water System | | |
| Cassette Toilet | • | • |
| Central Service Unit | • | • |



High Performance Water Pump

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| Standard | O Optional extra | Not possible | Δ Not yet known at the time of publication |
|----------------------------|------------------|----------------------------------|---|
| | | | |

| Models | TD 649 G | TD 689 G |
|--|----------|----------|
| Waste water tank 90 ltr. | • | • |
| Water Tank 20 l - 120 l (20 litre in driving mode) | • | • |
| Electrical | | |
| 3 x 230 V Electric sockets | • | • |
| Additional Battery light "Home Light" | • | • |
| Awning rail | • | • |
| Back cabinets with indirect lighting | • | • |
| Ceiling paneling with indirect lighting | • | • |
| Charging booster | • | • |
| Charging station Home Light | • | • |
| Exterior Power Socket 230 V / 12 V / TV | • | • |
| Facility for climate, SAT, solar | • | • |
| Front cabinets with indirect lighting | • | • |
| Home Light (2 pieces) | • | • |
| Illuminated mirror in the bathroom | • | • |
| Indirect feature LED lighting to worktops | • | • |
| Indirect kitchen lighting | • | • |
| Indirect lighting above the bar area | _ | • |
| Indirect lighting on canopy bar | _ | • |
| LED reading lights | • | • |
| Leisure battery 95Ah | • | • |
| Service Centre (Control Panel) | • | • |
| Socket in rear garage | • | • |
| Solar Panels 1 x 100 Watt | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

— Not possible

Radio preparation including DAB + and antenna in Exterior mirrors

Uconnect radio with 10" screen and navigation (Apple Car Play and Android Auto) incl. steering wheel with multifunction buttons for radio control, reversing camera and air conditioning





| Models | TD 649 G | TD 689 G |
|---------------------------------|----------|----------|
| USB-Socket | • | • |
| Gas System | | |
| Digital control panel CP plus | • | • |
| Exterior Gas Point | • | • |
| Gas Heater Combi 6 E (Standard) | • | • |
| Warm air circulation | • | • |
| Audio - Media | | |
| Flatscreen holder | • | • |
| Multi Function Steering Wheel | • | • |

| ~ | |
|----------------|-------|
| | *INFO |

Standard

Reversing Camera

Harmony Line Package (Gallery 649) Harmony Line Package (Gallery 689)

O Optional extra

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Packages Lyseo Gallery TD Harmony Line

Packages

| Harmony Line Package (Gallery 649) | +41 kg* |
|---|----------|
| Alloy Wheels 16'' | |
| Radiator grille with Bürstner logo, glossy black | |
| Black frame headlights | |
| Heated and electrically adjustable mirrors | |
| Leather steering wheel and gear knob | |
| Pilot seats upholstered to match the living area | |
| Traction Plus | |
| Aluminium framed windows | |
| Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light) | |
| Exterior Garage Door, left | |
| Cab blinds | |
| Rear bumper with chrome finish | |
| Harmony Line product graphics | |
| Harmony Line embroidery | |
| Sun-Roof | |
| Illuminated wall panel | |
| Additional Battery light "Home Light" | |
| Ceiling paneling with indirect lighting | |
| Front cabinets with indirect lighting | |
| Back cabinets with indirect lighting | |
| Indirect feature LED lighting to worktops | |
| Illuminated mirror in the bathroom | |
| Indirect kitchen lighting | |
| Special price | included |

| Harmony Line Package (Gallery 689) | +38 kg* |
|---|----------|
| Alloy Wheels 16" | |
| Radiator grille with Bürstner logo, glossy black | |
| Black frame headlights | |
| Heated and electrically adjustable mirrors | |
| Leather steering wheel and gear knob | |
| Pilot seats upholstered to match the living area | |
| Traction Plus | |
| Aluminium framed windows | |
| Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light) | |
| Rotating worktop extension | |
| Cab blinds | |
| Rear bumper with chrome finish | |
| Harmony Line product graphics | |
| Harmony Line embroidery | |
| Entrance element with design decor | |
| Sun-Roof | |
| Illuminated wall panel | |
| Additional Battery light "Home Light" | |
| Indirect lighting above the bar area | |
| Ceiling paneling with indirect lighting | |
| Front cabinets with indirect lighting | |
| Back cabinets with indirect lighting | |
| Indirect feature LED lighting to worktops | |
| Illuminated mirror in the bathroom | |
| Indirect kitchen lighting | |
| Special price | included |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

| Connect Package with 21.5" Smart TV | +6 kg* |
|-------------------------------------|--------|
| 21.5" Oyster Smart TV | |
| WiFi Connect Module | |
| Special price | 1,720 |

| Winter Package - Alde | +72 kg* |
|--|---------|
| Floor heating in cab - ALDE | |
| Heated drivers seat | |
| Heated passenger seat | |
| Alde Warmwater Heating | |
| Heated and insulated Wastewater Tank and Discharge | |
| Alde Booster | |
| Additional heat exchanger for hot water heating | |
| Special price | tbc |

| Winter Package | Δ |
|--|-------|
| Heated and insulated Wastewater Tank and Discharge | |
| Heated driver and passenger seats | |
| Special price | 1,490 |

Fiat Chassis Packages

| Fiat - Drive Easy Package | +3 kg* |
|--|--------|
| Fog lights with cornering light | |
| Tyre pressure sensor for Fiat chassis | |
| Battery isolating switch for cab battery | |
| Special price | 600 |

| Fiat - Advance Safety Package | +1 kg* |
|--|--------|
| Emergency brake assistant (pedestrian and cyclist detection) | |
| Lane departure warning | |
| Rain and Light Sensors | |
| Traffic sign recognition + high beam assistant | |
| Special price | 1,560 |

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

 $\bigwedge \mathsf{Not}$ yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



Accessories Lyseo Gallery TD Harmony Line

| ● Standard O Optional extra □ Optional extra available in a package | | | | |
|---|---------|----------|----------|-------------------------|
| Description | Price £ | TD 649 G | TD 689 G | Additional weight* (kg) |
| Fiat Engine | | | _ | |
| Fiat Ducato 2,2 Multijet - 140 BHP - Euro VI E- Automatic Transmission | 3,980 | 0 | 0 | Δ |
| Fiat Ducato 2,2 Multijet - 180 BHP - Euro VI E - Automatic Transmission | 7,860 | 0 | 0 | Δ |
| Fiat Chassis | | | | |
| All-season tyres ²¹⁾ | 340 | 0 | 0 | 0 |
| Fuel tank, 90 ltr. | 110 | 0 | 0 | 14 |
| Full-LED headlights with black headlight frame | 1,250 | 0 | 0 | 0 |
| Trailer Coupling | 1,570 | 0 | 0 | 50 |
| Weight Increases | | | _ | |
| Weight upgrade to 4,250 kg on Fiat chassis ²²⁾ | 1,880 | 0 | 0 | 40 |
| Weight upgrade to 4,400 kg on Fiat chassis (160 BHP) ²³⁾ | 1,880 | 0 | 0 | 40 |
| Exterior Body | | | | |
| Bicycle Rack for 3 Bikes (max. load 60 kg) | 410 | 0 | 0 | 15 |
| Garage payload increase to 250 kg | tbc | 0 | 0 | 3 |
| Rear Corner Steadies | 380 | 0 | 0 | 7 |
| Roof light 50 x 70 cm | 510 | 0 | 0 | 6 |
| Roof light in kitchen area for ventilation | 190 | 0 | 0 | 4 |
| Roof light with fan in washroom | 190 | _ | 0 | 4 |
| Telescopic bicycle rack for 3 bikes (max. load 50 kg) | 720 | 0 | 0 | 21 |
| Habitation | | | | |
| Dinette transformable to berth | 430 | • | 0 | 10 |
| Electric Drop Down bed in rear | 2,020 | 0 | _ | 50 |
| Fitted Sheets for the bed in the alcove | 70 | 0 | 0 | 1 |
| Fitted sheets for the folding down bed | 70 | 0 | - | 1 |
| Isofix Child Seat Fastening | 330 | - | 0 | 6 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

| Description | Price £ | TD 649 G | TD 689 G | Additional weight* (kg) |
|--|---------|----------|----------|-------------------------|
| Upholstery Casa Pino | | 0 | 0 | 0 |
| Upholstery Osaka (full leather) | 2,380 | 0 | 0 | 0 |
| Kitchen | | | | |
| Extractor Fan | 250 | 0 | 0 | 2 |
| Water System | | | | |
| Heated Wastewater Tank | 190 | 0 | 0 | 1 |
| Outside Shower with Mixer Tap | 230 | 0 | 0 | 3 |
| Electrical | | | | |
| Lithium battery 90 Ah | 1,770 | 0 | 0 | -13 |
| Lithium battery 90 Ah in addition | 1,770 | 0 | 0 | 13 |
| Second Leisure Battery 95 Ah | 390 | 0 | 0 | 27 |
| Gas System | | | | |
| Gas Alarm System for Propane, Butane and Narcotic Gas | 350 | 0 | 0 | 1 |
| Remote indication for Security Gas Pressure Regulator Toptron (CPU) | 70 | 0 | 0 | 1 |
| Roof Air Conditioning 2460 W | 2,170 | 0 | 0 | 37 |
| Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility | 390 | | _ | 1 |
| Audio - Media | | | | |
| Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD) | 550 | 0 | 0 | 4 |
| WiFi Connect Module | 1,030 | | _ | 3 |
| Fiat Chassis Packages | | | | |
| Fiat - Advance Safety Package | 1,560 | 0 | 0 | 1 |
| Fiat - Drive Easy Package | 600 | 0 | 0 | 3 |
| Packages | | | _ | |
| Connect Package with 21.5" Smart TV ⁸⁾ | 1,720 | 0 | 0 | 6 |
| Winter Package | 1,490 | 0 | 0 | Δ |
| Winter Package - Alde | tbc | 0 | 0 | 72 |
| | | | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



Lyseo I Harmony Line





Standard O Optional extra ─ Not possible \triangle Not yet known at the time of publication

| Thot yet known at the time of publication | | |
|---|------------------|-------------------------------|
| Models | I 690 G | l 726 G |
| Fiat Ducato 2,2 Multijet - 180 BHP - Euro VI E - Automatic Transmission | 108,195 | 111,195 |
| Overall length (app. cm) | 698 | 736 |
| Overall width (app. cm) | 232 | 232 |
| Overall height (app. cm) | 291 | 291 |
| Overall height Internal (app. cm) | 198 | 198 |
| Technically permissible maximum laden mass (kg)* | 4400 | 4400 |
| Mass in running order(kg)* | tbc | tbc |
| Manufacturer-specified mass for optional equipment (kg)* | tbc | tbc |
| Technically permissible maximum towable mass (ca. kg) | tbc | tbc |
| Wheelbase, approx. mm | 4035 | 4035 |
| Permitted number of seats (including driver)* | 4 | 4 - 5 o ²⁴⁾ |
| Sleeping berths | 4 | 4 |
| Fold down (app. cm) | 194x143 | 194x143 |
| Bed size centre (app. cm) | 202×113-86 o | 206x110 o |
| Bed size rear (app. cm) | 194x79 199x79 | 199x79 200x79 |
| Fold down bed rear (app. cm) | - | - |
| Refrigerator volume incl. freezer, approx. l | 142 (15) | 142 (15) |
| Fresh water supply, approx. l | 100 | 100 |
| Water supply, approx. l (whilst driving) | 20 | 20 |
| Waste water tank, approx. l | 90 | 90 |
| Insulation floor / side walls / roof, mm | 40 / 34 / 34 | 40 / 34 / 34 |
| Storage space for gas cylinder with max. 11 kg filling weight | 2x 11kg | 2x 11kg |
| | | |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at







| 1727 G | I 736 G | 1744 |
|---------------------|------------------|------------------------|
| 111,795 | 112,495 | 112,195 |
| 736 | 736 | 736 |
| 232 | 232 | 232 |
| 291 | 291 | 291 |
| 198 | 198 | 198 |
| 4400 | 4400 | 4400 |
| tbc | tbc | tbc |
| tbc | tbc | tbc |
| tbc | tbc | tbc |
| 4035 | 4035 | 4035 |
| 4 | 4 | 4 - 5 o ²⁴⁾ |
| 4 | 4 | 4 |
| 194 x 143 | 194 x 143 | 194 x 143 |
| 202 x 102 - 64 o | 202 x 102 - 64 o | - |
| 207 x 79 / 203 x 79 | 190 x 150 | _ |
| _ | - | 199 x 140 |
| 142 (15) | 142 (15) | 142 (15) |
| 120 | 120 | 120 |
| 20 | 20 | 20 |
| 90 | 90 | 90 |
| 40 / 34 / 34 | 40 / 34 / 34 | 40 / 34 / 29 |
| 2x 11kg | 2x 11kg | 2x 11kg |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Lyseo I Harmony Line





| Standard | Optional extra | ─ Not possible | Δ Not yet known at the time of publication |
|----------------------------|----------------|----------------|---|
|----------------------------|----------------|----------------|---|

| Standard Ooptional extra Not possible Zhot yet known at the time of publication | | |
|---|---------|---------|
| Models | I 690 G | I 726 G |
| Fiat Chassis | | |
| 16 inch tyres on steel rims | • | • |
| 16" Alloy wheels for Maxi chassis | • | • |
| Alloy Wheels 16" | • | • |
| Cruise control | • | • |
| ESP (Electronic Stability Programme with ASR (Anti-Slip Regulation) | • | • |
| Front Fog Lights | • | • |
| Fuel Tank, 75 ltr. | • | • |
| Grille with chrome accents | • | • |
| LED Daytime Running Lights | • | • |
| Post-collision brake assistant | • | • |
| Start and stop function | • | • |
| Traction Plus | • | • |
| Wider rear axle | • | • |
| Weight Increases | | |
| Weight upgrade to 4,400 kg on Fiat chassis (180 BHP) | • | • |
| Fiat Cab | | |
| Airbag Driver | • | • |
| Airbag Passenger | • | • |
| Automatic cab air conditioning | • | • |
| Cab blinds | • | • |
| Cab door left Passenger | • | • |
| Cup Holder for driver and passenger | • | • |
| Dashboard refinement Techno | • | • |
| Digital multifunction dashboard | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at







| l 727 G | I 736 G | I 744 |
|---------|---------|-------|
| | ' | |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| | | |
| • | • | • |
| | | |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5$ % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Lyseo I Harmony Line





Standard O Optional extra \triangle Not yet known at the time of publication

| Models | I 690 G | I 726 G |
|---|---------|---------|
| Heated and electrically adjustable mirrors | • | • |
| Inductive charging station for smartphones | • | • |
| Leather steering wheel and gear knob | • | • |
| Upholstered pilot seats, with height and inclination adjustment | • | • |
| Exterior Body | | |
| Aluminium framed windows | • | • |
| Electric Door Step | • | • |
| Electrical inset step | • | • |
| Exterior Garage Door, left | • | • |
| Exterior Garage Door, right | • | • |
| GRP Roof | • | • |
| Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light) | • | • |
| Harmony Line product graphics | • | • |
| Living area roof light 40 x 40 cm | • | • |
| One Piece Entry Door width: 700 mm | • | • |
| Rear bumper with chrome finish | • | • |
| Roll out awning in anthracite - 4.50 m inc. LED-lights | • | _ |
| Roll out awning in anthracite - 5 m inc. LED-lights | - | • |
| Roof Vent in Bathroom | • | • |
| Roof light 50 x 70 cm | • | • |
| Roof light in kitchen area for ventilation | • | • |
| Roof light in shower area | - | - |
| Service flap in the right direction of travel | _ | _ |
| Sleeping area roof light 40 x 40 cm | • | • |
| Third Brake Light | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at







| l 727 G | I 736 G | 1744 |
|---------|---------|------|
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| | | |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | - |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| _ | _ | |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| | - | • |
| • | • | • |
| • | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at



Lyseo I Harmony Line





| Standard | Optional extra | Not possible | △ Not yet known at the time of publication |
|------------------------------|-------------------|----------------------------------|--|
| • Dearidard | O operonal extera | 1 tot possible | Anot yet known at the time of publication |

| Models | I 690 G | I 726 G |
|--|---------|---------|
| White Paintwork | • | • |
| Habitation | | |
| Canopy with integrated spotlights | • | • |
| Carpet to Cab & Living Area | • | • |
| Couch-to-Couch seating group incl. single-column table base, tabletop can be moved in all directions | _ | _ |
| Electric Drop Down bed in rear | - | _ |
| Electric drop-down bed above the cab | • | • |
| Electric fold-down bed | • | • |
| Entrance element with design decor | • | • |
| Entry aid (handle) in the entrance area | • | • |
| Fixed Bed with Multi-zone comfort foam mattresses | • | • |
| Furniture Sandy Grey | • | • |
| Harmony Line embroidery | • | • |
| Infill cushion for single beds | • | • |
| L shaped seating | • | • |
| Thermofloor | • | • |
| Underfloor storage | • | • |
| Vario Roller Blinds | • | • |
| Kitchen | | |
| Combination oven | • | • |
| Gas hob with electric ignition | • | • |
| Illuminated wall panel | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at







| 1727 G | I 736 G | l 744 |
|--------|---------|-------|
| • | • | • |
| | | |
| • | • | • |
| • | • | • |
| • | • | _ |
| - | - | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | - | - |
| | - | • |
| • | • | • |
| • | • | • |
| • | • | • |
| | | |
| • | • | • |
| • | • | • |
| • | • | • |

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Lyseo I Harmony Line





● Standard Optional extra Not possible △ Not yet known at the time of publication

| Standard O Sphoracextra Not possible Minor yet known at the time of publication | | |
|---|---------|---------|
| Models | I 690 G | I 726 G |
| Electrical | | |
| 230 V socket | • | • |
| Awning rail | • | • |
| Backlit mirror in the bathroom | • | • |
| Charging booster | • | • |
| Exterior Power Socket 230 V / 12 V / TV | • | • |
| Facility for climate, SAT, solar | • | • |
| Home Light | • | • |
| Indirect feature LED lighting to worktops | • | • |
| Indirect lighting for drop-down bed shelving | • | • |
| Indirect lighting for entrance | • | • |
| Indirect lighting for headboard | • | • |
| Indirect lighting for rear drop-down bed | _ | _ |
| Indirect lighting for the living room roof, seating area, kitchen and rear bed | • | • |
| Indirect lighting from drop-down bed (only fold-down bed version) | • | • |
| Indirect lighting in wall unit | • | • |
| Indirect lighting to shower column | • | • |
| Leisure battery AGM 95 Ah | • | • |
| Light in Wardrobe | • | • |
| Lighting above bathroom sink | • | • |
| Roof cabinets with indirect lighting | • | • |
| Service Centre (Control Panel) | • | • |
| Socket in rear garage | • | • |
| Solar Panels 1 x 100 Watt | • | • |
| USB-Socket | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at







| l 727 G | I 736 G | 1744 |
|---------|---------|------|
| | | |
| • | | • |
| • | • | • |
| • | • | |
| • | • | • |
| • | • | • |
| • | • | |
| | | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| | _ | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Lyseo I Harmony Line





| ● Standard | O Optional extra | ─ Not possible | $oldsymbol{\Delta}$ Not yet known at the time of publication |
|------------|------------------|----------------|--|
| Models | | | |
| | | | |

| Models | I 690 G | I 726 G |
|--|---------|---------|
| Water System | | |
| Cassette Toilet | • | • |
| Central Service Unit | • | • |
| Gas System | | |
| Digital control panel CP plus | • | • |
| Exterior Gas Point | • | • |
| Gas Heater Combi 6 E (Standard) | • | • |
| Audio - Media | | |
| Flatscreen holder | • | • |
| Multi Function Steering Wheel | • | • |
| Reversing Camera | • | • |
| Sound System | • | • |
| Uconnect radio with 10" screen and navigation (Apple Car Play and Android Auto) incl. steering wheel with multifunction buttons for radio control, reversing camera and air conditioning | • | • |
| Packages | | |
| Harmony Line Package Lyseo I (I 690 G, I 726 G, I 727 G, I 736) | • | • |
| Harmony Line Package Lyseo I 744 | _ | _ |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at







| I 727 G | l 736 G | ١744 |
|---------|---------|------|
| | | |
| • | • | • |
| • | • | • |
| | | |
| • | • | • |
| • | • | • |
| • | • | • |
| | | |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| | | |
| • | • | - |
| - | _ | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at



Packages Lyseo I Harmony Line

Packages

| Winter Package | Δ |
|--|-------|
| Heated and insulated Wastewater Tank and Discharge | |
| Heated driver and passenger seats | |
| Special price | 1,490 |

| Winter Package - Alde | +72 kg* |
|--|---------|
| Floor heating in cab - ALDE | |
| Heated drivers seat | |
| Heated passenger seat | |
| Alde Warmwater Heating | |
| Heated and insulated Wastewater Tank and Discharge | |
| Alde Booster | |
| Additional heat exchanger for hot water heating | |
| Special price | tbc |

| Connect Package with 21.5" Smart TV | +6 kg* |
|-------------------------------------|--------|
| 21.5" Oyster Smart TV | |
| WiFi Connect Module | |
| Special price | 1,720 |

| Connect Package 32" Smart TV | +9 kg* |
|--|--------|
| LED TV 32" with triple tuner incl. TV holder | |
| WiFi Connect Module | |
| Special price | 2,140 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

| Harmony Line Package Lyseo I (I 690 G, I 726 G, I 727 G, I 736) | +26 kg* |
|---|----------|
| Alloy Wheels 16'' | |
| Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light) | |
| Indirect feature LED lighting to worktops | |
| Roof light 50 x 70 cm | |
| Entrance element with design decor | |
| Exterior Garage Door, left | |
| Rear bumper with chrome finish | |
| Backlit mirror in the bathroom | |
| Indirect lighting for drop-down bed shelving | |
| Indirect lighting to shower column | |
| Indirect lighting for entrance | |
| Indirect lighting for headboard | |
| Lighting above bathroom sink | |
| Indirect lighting for the living room roof, seating area, kitchen and rear bed | |
| Indirect lighting from drop-down bed (only fold-down bed version) | |
| Home Light | |
| Exterior Power Socket 230 V / 12 V / TV | |
| Grille with chrome accents | |
| Leather steering wheel and gear knob | |
| Front Fog Lights | |
| Harmony Line embroidery | |
| Harmony Line product graphics | |
| Traction Plus | |
| Vario Roller Blinds | |
| Special price | included |

| | 201 4 |
|---|----------|
| Harmony Line Package Lyseo I 744 | +30 kg* |
| Alloy Wheels 16" | |
| Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light) | |
| Indirect feature LED lighting to worktops | |
| Roof light 50 x 70 cm | |
| Entrance element with design decor | |
| Exterior Garage Door, left | |
| Rear bumper with chrome finish | |
| Lighting canopy for rear sideboard | |
| Backlit mirror in the bathroom | |
| Indirect lighting for drop-down bed shelving | |
| Indirect lighting to shower column | |
| Indirect lighting for entrance | |
| Lighting above bathroom sink | |
| Indirect lighting for the living room roof, seating area, kitchen and rear bed | |
| Indirect lighting for rear drop-down bed | |
| Indirect lighting from drop-down bed (only fold-down bed version) | |
| Home Light | |
| Exterior Power Socket 230 V / 12 V / TV | |
| Grille with chrome accents | |
| Leather steering wheel and gear knob | |
| Front Fog Lights | |
| Harmony Line embroidery | |
| Harmony Line product graphics | |
| Traction Plus | |
| Vario Roller Blinds | |
| Special price | included |

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

 $\ensuremath{\Delta}$ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



Accessories Lyseo I Harmony Line

| Standard O Optional extra Optional extra available in a package — Not possible A Not yet known at the | e time of publication | | | | | | |
|---|-----------------------|---------|---------|---------|---------|------|-------------------------|
| Description | Price £ | 9 069 1 | I 726 G | I 727 G | I 736 G | 1744 | Additional weight* (kg) |
| Fiat Chassis | | | | | | | |
| All-season tyres ²¹⁾ | 340 | 0 | 0 | 0 | 0 | 0 | 0 |
| Battery disconnection switch | 160 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fuel tank, 90 ltr. | 110 | 0 | 0 | 0 | 0 | 0 | 14 |
| Trailer Coupling | 1,570 | 0 | 0 | 0 | 0 | 0 | 50 |
| Tyre pressure sensor for Fiat chassis | 230 | 0 | 0 | 0 | 0 | 0 | 1 |
| Fiat Cab | | | | | _ | _ | |
| Insulated blackout honeycomb blind in driver's cab | tbc | 0 | 0 | 0 | 0 | 0 | 1 |
| Exterior Body | | | | | _ | _ | |
| Bicycle Rack for 3 Bikes (max. load 60 kg) | 410 | 0 | 0 | 0 | 0 | 0 | 15 |
| Garage payload increase to 250 kg | tbc | 0 | 0 | 0 | 0 | 0 | 3 |
| LED high beam and low beam | 1,280 | 0 | 0 | 0 | 0 | 0 | 1 |
| Rear Corner Steadies | 380 | 0 | 0 | 0 | 0 | 0 | 7 |
| Roof light in kitchen area for ventilation | 190 | 0 | 0 | 0 | 0 | 0 | 4 |
| Roof light with fan in washroom | 190 | 0 | 0 | 0 | 0 | 0 | 4 |
| Telescopic bicycle rack for 3 bikes (max. load 50 kg) | 720 | 0 | 0 | 0 | 0 | 0 | 21 |
| Habitation | | | | | | | |
| Dinette transformable to berth | 430 | 0 | 0 | 0 | 0 | 0 | 10 |
| Fitted sheets for fixed beds | 70 | 0 | 0 | 0 | 0 | _ | 1 |
| Fitted sheets for the folding down bed | 70 | 0 | 0 | 0 | 0 | 0 | 1 |
| Isofix Child Seat Fastening | 330 | 0 | 0 | _ | _ | 0 | 6 |
| Queens bed - height adjustable with large garage door on the left | 1,570 | - | - | - | 0 | - | 34 |
| Safe | 180 | 0 | 0 | 0 | 0 | 0 | 4 |
| Vario-Seat | 690 | _ | 0 | _ | _ | 0 | 14 |
| Kitchen | | | | | | | |
| Extractor Fan | 250 | 0 | 0 | 0 | 0 | 0 | 2 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

| Lithium battery 90 Ah in addition 18) 1,770 | | _ | _ | | | | | |
|--|--|---------|---------|--------|--------|---------|------|-------------------------|
| Lithium battery 90 Ah ¹⁸⁾ Lithium battery 90 Ah in addition ¹⁸⁾ Second Leisure Battery 95 Ah Second Leisure Battery 95 Ah Water System Heated Wastewater Tank Outside Shower with Mixer Tap Gas Alarm System for Propane, Butane and Narcotic Gas Remote indication for Security Gas Pressure Regulator Toptron (CPU) Roof Air Conditioning 2460 W Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV LED TV 32" with triple tuner incl. TV holder Sound System Premium NiFi Connect Module Packages Connect Package 32" Smart TV Connect Package with 21.5" Smart TV Vinter Package 1,490 o o o o o o o o o o o o o o o o o o o | Description | Price £ | 1 690 G | 1726 G | 1727 G | I 736 G | 1744 | Additional weight* (kg) |
| Lithium battery 90 Ah in addition ¹⁸⁾ Second Leisure Battery 95 Ah 390 0 0 0 0 0 27 Water System Heated Wastewater Tank 190 0 0 0 0 0 0 1 Outside Shower with Mixer Tap 230 0 0 0 0 0 0 1 Outside Shower with Mixer Tap 350 0 0 0 0 0 0 1 Remote indication for Security Gas Pressure Regulator Toptron (CPU) Roof Air Conditioning 2460 W Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV LED TV 32" with triple tuner incl. TV holder Sound System Premium 1,530 0 0 0 0 0 18 WiFi Connect Module Connect Package 32" Smart TV Connect Package 1,490 0 0 0 0 0 0 0 0 | Electrical | | | | | | | |
| Second Leisure Battery 95 Ah 390 0 0 0 0 0 0 0 0 0 | Lithium battery 90 Ah ¹⁸⁾ | 1,770 | 0 | 0 | 0 | 0 | 0 | -13 |
| Water System Heated Wastewater Tank 190 0 0 0 0 0 1 Outside Shower with Mixer Tap 230 0 0 0 0 3 Gas System 350 0 0 0 0 0 1 Remote indication for Security Gas Pressure Regulator Toptron (CPU) 70 0 0 0 0 1 Roof Air Conditioning 2460 W 2,170 0 0 0 0 0 37 Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 0 0 0 0 0 0 1 Audio - Media 4 1 290 | Lithium battery 90 Ah in addition ¹⁸⁾ | 1,770 | 0 | 0 | 0 | 0 | 0 | 13 |
| Heated Wastewater Tank 190 | Second Leisure Battery 95 Ah | 390 | 0 | 0 | 0 | 0 | 0 | 27 |
| Outside Shower with Mixer Tap 230 0 0 0 0 0 3 Gas System Gas Alarm System for Propane, Butane and Narcotic Gas 350 0 0 0 0 0 1 Remote indication for Security Gas Pressure Regulator Toptron (CPU) 70 0 0 0 0 0 1 Roof Air Conditioning 2460 W 2,170 0 0 0 0 0 37 Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 | Water System | | | | | | | |
| Gas System Gas Alarm System for Propane, Butane and Narcotic Gas 350 0 0 0 0 1 Remote indication for Security Gas Pressure Regulator Toptron (CPU) 70 0 0 0 0 0 1 Roof Air Conditioning 2460 W 2,170 0 0 0 0 0 37 Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 | Heated Wastewater Tank | 190 | 0 | 0 | 0 | 0 | 0 | 1 |
| Gas Alarm System for Propane, Butane and Narcotic Gas 350 o </td <td>Outside Shower with Mixer Tap</td> <td>230</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>3</td> | Outside Shower with Mixer Tap | 230 | 0 | 0 | 0 | 0 | 0 | 3 |
| Remote indication for Security Gas Pressure Regulator Toptron (CPU) 70 | Gas System | | | | | | | |
| Roof Air Conditioning 2460 W 2,170 | Gas Alarm System for Propane, Butane and Narcotic Gas | 350 | 0 | 0 | 0 | 0 | 0 | 1 |
| Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility 390 | Remote indication for Security Gas Pressure Regulator Toptron (CPU) | 70 | 0 | 0 | 0 | 0 | 0 | 1 |
| Audio - Media Flatscreen holder, additional in the rear incl. Preparation for 2nd TV 290 o o o o o 2 LED TV 32" with triple tuner incl. TV holder 1,280 □ □ □ 7 Sound System Premium 1,530 o o o o o 18 WiFi Connect Module 1,030 □ □ □ □ □ 3 Packages Connect Package 32" Smart TV 2,140 o o o o o o 6 Connect Package with 21.5" Smart TV 1,720 o o o o o o o o A Winter Package 1,490 o o o o o o o A | Roof Air Conditioning 2460 W | 2,170 | 0 | 0 | 0 | 0 | 0 | 37 |
| Flatscreen holder, additional in the rear incl. Preparation for 2nd TV 290 0 0 0 0 0 2 LED TV 32" with triple tuner incl. TV holder 1,280 0 0 0 0 0 0 0 0 0 0 0 0 18 Sound System Premium 1,530 9 Connect Package with 21.5" Smart TV 2,140 | Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility | 390 | 0 | 0 | 0 | 0 | 0 | 1 |
| LED TV 32" with triple tuner incl. TV holder 1,280 □ □ - - □ 7 Sound System Premium 1,530 0 0 0 0 0 18 WiFi Connect Module 1,030 □ □ □ □ □ 3 Packages Connect Package 32" Smart TV 2,140 0 0 0 0 9 Connect Package with 21.5" Smart TV 1,720 0 0 0 0 0 Winter Package 1,490 0 0 0 0 0 0 | Audio - Media | | | | | | | |
| Sound System Premium 1,530 0 0 0 0 0 18 WiFi Connect Module 1,030 □ □ □ □ □ 3 Packages Connect Package 32" Smart TV 2,140 0 0 0 0 0 9 Connect Package with 21.5" Smart TV 1,720 0 0 0 0 6 Winter Package 1,490 0 0 0 0 0 Δ | Flatscreen holder, additional in the rear incl. Preparation for 2nd TV | 290 | 0 | 0 | 0 | 0 | 0 | 2 |
| WiFi Connect Module 1,030 0 0 0 0 0 3 Packages Connect Package 32" Smart TV 2,140 0 0 0 0 0 9 Connect Package with 21.5" Smart TV 1,720 0 0 0 0 0 6 Winter Package 1,490 0 0 0 0 0 0 0 | LED TV 32" with triple tuner incl. TV holder | 1,280 | _ | 0 | _ | _ | _ | 7 |
| Packages Connect Package 32" Smart TV 2,140 0 0 0 0 9 Connect Package with 21.5" Smart TV 1,720 0 0 0 0 6 Winter Package 1,490 0 0 0 0 0 0 | Sound System Premium | 1,530 | 0 | 0 | 0 | 0 | 0 | 18 |
| Connect Package 32" Smart TV 2,140 0 0 0 0 9 Connect Package with 21.5" Smart TV 1,720 0 0 0 0 6 Winter Package 1,490 0 0 0 0 Δ | WiFi Connect Module | 1,030 | | | | _ | _ | 3 |
| Connect Package with 21.5" Smart TV 1,720 o o o o o o o o Winter Package 1,490 o o o o o o Δ | Packages | | | | | | | |
| Winter Package 1,490 ο ο ο ο Δ | Connect Package 32" Smart TV | 2,140 | 0 | 0 | 0 | 0 | 0 | 9 |
| | Connect Package with 21.5" Smart TV | 1,720 | 0 | 0 | 0 | 0 | 0 | 6 |
| Winter Package - Alde tbc o o o o 72 | Winter Package | 1,490 | 0 | 0 | 0 | 0 | 0 | Δ |
| | Winter Package - Alde | tbc | 0 | 0 | 0 | 0 | 0 | 72 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.







• Standard • Optional extra • Not possible • A Not yet known at the time of publication

| I 910 G 152,195 | I 920 G 152,195 |
|--------------------------|--|
| | 152,195 |
| | i i |
| 899 | 899 |
| 234 | 234 |
| 305 | 305 |
| 205 | 205 |
| 5500 | 5500 |
| 4328 (4112 - 4544)* | 4328 (4112 - 4544) |
| 808 | 808 |
| 1500** | 1500** |
| 4700 | 4700 |
| 4 | 4 |
| 4 | 4 |
| 194x147 | 194x147 |
| 200×104-75 200×104-81 | 197×140 |
| 177 (35) | 177 (35) |
| 140 | 140 |
| 50 | 50 |
| 30 / 34 / 34 | 30 / 34 / 34 |
| 2x 11kg | 2x 11kg |
| | |
| • | • |
| | |
| • | • |
| | 305 205 5500 4328 (4112 - 4544)* 808 1500** 4700 4 4 194×147 200×104-75 200×104-81 177 (35) 140 50 30 / 34 / 34 |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

^{**} Total weight gross vehicle is 5.880,- kg





● Standard O Optional extra Not possible △ Not yet known at the time of publication

| Models | I 910 G | I 920 G |
|--|---------|---------|
| ABS (anti-lock braking system) / ASR (anti-slip control) / EBFD (electronic braking force distribution) and ESP (electronic stability program) | • | • |
| Active brake assistant | • | • |
| AdBlue Tank 22 L | • | • |
| Automatic driving light control | • | • |
| Bürstner double floor concept | • | • |
| Cruise control | • | • |
| Eco Start Stop | • | • |
| Instrument cluster with colour display | • | • |
| Insulated and heated double floor | • | • |
| Jet nozzles I-table | • | • |
| LED Daytime Running Lights | • | • |
| Live traffic updates | • | • |
| Low frame chassis with through-loading function | • | • |
| Pre-equipment electr. for fog lights | • | • |
| Rear-view camera | • | • |
| Mercedes Cab | | |
| Adjustable drivers seat | • | • |
| Adjustable passenger seat | • | • |
| Airbag Driver | • | • |
| Airbag Passenger | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| Standard Optional e | xtra Not possible | Δ Not yet known at the time of publication |
|---------------------|-------------------|---|
|---------------------|-------------------|---|

| Standard Coptional extra Not possible Minor yet known at the time of publication | | |
|---|----------------|---------|
| Models | I 910 G | I 920 G |
| Cab door left Passenger | • | • |
| Comand Online | • | • |
| Cup Holder for driver and passenger | • | • |
| Horizontal cab blinds | • | • |
| Leather steering wheel and gear knob | • | • |
| Multi-functional steering wheel | • | • |
| Outside mirrors suspended in body color, electrically heated and adjustable, including angle mirror | wide- | • |
| Pilot seats upholstered to match living area | • | • |
| Semi-automatic air-conditioning | • | • |
| Exterior Body | | |
| Aluminium framed windows | • | • |
| Central locking for cab, habitation and garage doors | • | • |
| Electric Door Step | • | • |
| Exterior Garage Door, left | • | • |
| Exterior Garage Door, right | • | • |
| GRP Floor | • | • |
| GRP Roof | • | • |
| Habitation door - Premium XL (2-point locking, central locking, windows, mosquito no bin and charging station for the Home-Light battery light) | et, waste • | • |
| Large through-loading compartment with double-sided access from the outside incluents deep basement compartment and access from the inside | iding an | • |
| Low gas box for easy gas bottle change | • | • |
| Roll out awning in anthracite - 6 m | • | • |
| Roof light 50 x 70 cm | • | • |
| Roof light in kitchen area for ventilation | • | • |
| Roof light in shower area | • | • |
| | | |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





| Standard Optional e | xtra Not possible | Δ Not yet known at the time of publication |
|---------------------|-------------------|---|
|---------------------|-------------------|---|

| Thot possible And yet known at the time of publication | | |
|--|---------|--------|
| Models | I 910 G | 1920 G |
| Sleeping area roof light 40 x 40 cm | • | • |
| White Paintwork | • | • |
| Habitation | | |
| Bed runner for bed | • | • |
| Carpet to Cab & Living Area | • | • |
| Comfort sleeping system with disc springs and multi-zone comfort foam mattress (es) for rear bed (s) | • | • |
| Couch to Couch seating group | • | • |
| Electric fold-down bed | • | • |
| Fitted sheets for fixed beds | • | • |
| Fitted sheets for the folding down bed | • | • |
| Fixed Bed with Multi-zone comfort foam mattresses | • | • |
| Furniture decor Carmela | • | • |
| Luxury table that can be moved lengthways and crossways | • | • |
| Scatter Cushions x 4 | • | • |
| Vario Roller Blinds | • | • |
| Kitchen | | |
| Combination oven | • | • |
| Extra durable mineral kitchen worktops | • | • |
| Extra wide, freely divisible kitchen drawers | • | • |
| Extractor Fan | • | • |
| Larder cabinet | • | • |
| Soft close function in the kitchen area | • | • |
| Water System | | |
| 140 L fresh water tank | • | • |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at





● Standard Optional extra Not possible △ Not yet known at the time of publication

| • Standard • Optional extra • Not possible • A Not yet known at the time of publication | | |
|---|---------|---------|
| Models | I 910 G | I 920 G |
| 50 L black water tank (holding tank) | • | • |
| Electric drain mode for black and gray water tanks | • | • |
| Outside Shower with Mixer Tap | • | • |
| Spacious bathroom with separate shower, wash area, toilet and wardrobe | • | • |
| Waste water tank 110 ltr. | • | • |
| iNDUS toilet system with app control IOS and Android | • | • |
| Electrical | | |
| Charging station Home Light | • | • |
| Dimmable lighting | • | • |
| Exterior Power Socket 230 V / 12 V / TV | • | • |
| Facility for climate, SAT, solar | • | • |
| Home Light | • | • |
| LED lighting | • | • |
| Leisure battery AGM 95 Ah | • | • |
| Light in Wardrobe | • | • |
| USB-Socket | • | • |
| Gas System | | |
| Alde Warmwater Heating | • | • |
| Exterior Gas Point | • | • |
| Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility | • | • |
| Audio - Media | | |
| Digital radio | • | • |
| Flatscreen holder | • | • |
| Flatscreen holder, additional in the rear incl. Preparation for 2nd TV | • | • |
| MBUX 10.25 inches | • | • |
| | | |



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

Packages Elegance

Packages

| Automatic pack | +38 kg* |
|--|---------|
| Electric parking brake | |
| Leather steering wheel | |
| Automatic transmission 9G-Tronic including hold function | |
| Distronic adaptive speed regulator | |
| Special price | 4,390 |

| Winter Pack | +24 kg* |
|---|---------|
| Floor heating in cab - ALDE | |
| Heated drivers seat | |
| Heated passenger seat | |
| Additional heat exchanger for hot water heating | |
| | |
| Special price | 4,490 |

| Self-Sufficiency Pack | +48 kg* |
|---|---------|
| Inverter 1800VA incl. Control unit, battery disconnector, fuse | |
| Lithium battery 135 Ah (second battery) including display panel | |
| Solar system Teleco 2 x 100 W with controller | |
| Additional charger 230 V | |
| Special price | 5,340 |

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



Accessories Elegance

| Standard | O Optional extra | ☐ Optional extra available in a package | — Not possible | Δ Not yet known at the time of publication | | | | |
|----------------------------|-------------------|---|----------------|---|---------|--------|---------|-------------------------|
| Descrip | ition | | | | Price £ | 1910 G | l 920 G | Additional weight* (kg) |
| Engine | Mercedes | | | | | | | |
| Merced | es Benz Sprinte | er 417 CDI – 170 hp / EURO VI | E (4-Zylinder) | | 1,900 | 0 | 0 | Δ |
| Merced | es Chassis | | | | | | | |
| Full air s | suspension - Go | oldschmitt | | | 12,570 | 0 | 0 | 80 |
| LED hig | h and low beam | ١ | | | 1,280 | 0 | 0 | 1 |
| Prepara | ation for hydraul | lic jacks - Goldschmitt | | | 830 | 0 | 0 | 20 |
| Merced | es Cab | | | | | | | |
| Electric | Cab Blinds | | | | 840 | 0 | 0 | 9 |
| Insulati | ng glazing for ca | ab side windows | | | 1,110 | 0 | 0 | 16 |
| Exterio | r Body | | | | | | | |
| Rear Co | orner Steadies | | | | 380 | 0 | 0 | 7 |
| Roof lig | ht 65 x 96 cm | | | | 640 | 0 | 0 | 6 |
| Roof lig | ht in kitchen are | ea for ventilation | | | 190 | 0 | 0 | 4 |
| Roof lig | ht with fan in w | ashroom ⁷⁾ | | | 190 | 0 | 0 | 4 |
| Silver P | aintwork | | | | 4,050 | 0 | 0 | 1 |
| Telesco | pic bicycle rack | for 3 bikes (max. load 50 kg) | | | 740 | 0 | 0 | 21 |
| Habitat | ion | | | | | | | |
| Lifting t | able | | | | 270 | 0 | 0 | 1 |
| Safe | | | | | 180 | 0 | 0 | 4 |
| Upholst | ery Alma (leath | ner-fabric) | | | 1,450 | 0 | 0 | 0 |
| · | ery Lima (full le | · | | | 2,450 | 0 | 0 | 0 |
| Upholst | ery Napa (full le | eather) | | | 2,450 | 0 | 0 | 0 |
| Water : | | | | | | | | |
| Black w | ater tank rollab | ble | | | 400 | 0 | 0 | 7 |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

| Description | Price £ | 1910 G | 1920 G | Additional weight* (kg) |
|---|---------|--------|--------|-------------------------|
| Electrical | | | _ | |
| 3rd AGM body battery 95 Ah | 410 | 0 | 0 | 28 |
| BOS lithium battery 135 Ah in addition ²⁵⁾ | 2,350 | 0 | 0 | 21 |
| Second Leisure Battery 95 Ah | 410 | 0 | 0 | 27 |
| Solar Panels 1×100 Watt $^{7)}$ | 510 | | | 12 |
| Gas System | | | | |
| Gas Alarm System for Propane, Butane and Narcotic Gas | 350 | 0 | 0 | 1 |
| Remote indication for Security Gas Pressure Regulator Toptron (CPU) | 70 | 0 | 0 | 1 |
| Roof Air Conditioning 2460 W ⁷⁾ | 2,240 | 0 | 0 | 37 |
| Audio - Media | | | | |
| LED TV 32" with triple tuner incl. TV holder ²⁶⁾ | 1,280 | 0 | 0 | 7 |
| Sound System Premium ²⁷⁾ | 1,530 | 0 | 0 | 18 |
| Packages | | | | |
| Automatic pack ²⁸⁾ | 4,390 | 0 | 0 | 38 |
| Self-Sufficiency Pack | 5,340 | 0 | 0 | 48 |
| Winter Pack | 4,490 | 0 | 0 | 24 |
| | | | | |



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



Notes

FOOTNOTES

- ¹ 3rd berth with option "fold-down bed via center seating group // 4th berth with the option "Additional cushion for spare bed" (bed construction: dinette in connection with the driver's seat)
- ² 3rd + 4th sleeping place: accessory "fold-down bed above middle seating group" // 5th sleeping place: accessory "middle seating group convertible to bed"
- ³ Eco Pack at 140 BHP in conjunction with automatic transmission mandatory"
- ⁴ The number and arrangement of kitchen drawers can change.
- $^{\rm 5}$ Only in connection with Citroën
- ⁶ When ordering the automatic transmission in conjunction with aluminum rims, the Maxi aluminum rims are installed on the light chassis.
- ⁷ For the roof elements, make sure that there is only limited space for installation.
- ⁸ Combination of Teleco / Oyster SAT system and Connect package excluded.
- ⁹ An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass. To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partnersperson (technically permissible total mass must be taken into account)
- $^{
 m 10}$ 3rd and 4th berths with the option "middle seat group convertible to bed"
- 11 "3rd and 4th berths with the option ""fold-down bed via center seat group"" // 5th berth with option ""center seat group convertible to bed"""
- ¹² The fold-down bed offers the option of sleeping crosswise or, by means of a manually pull-out extension in the direction of the driver's cab, sleeping lengthways. Then the size of the bed is. 200 x 200 cm (at the head end approx. 150 cm)
- ¹³ Not applicable when ordering sun awning including LED lighting.
- ¹⁴ 160 HP available until May 31, 2022
- ¹⁵ The roof hood, Midi Heki is not possible in conjunction with accessories 'lift bed on center seat group.
- ¹⁶ The combination ""Sun-Roof XL"" with ""fold-down bed over the center seat group"" is not possible.
- ¹⁷ In the floor plans with a queen-size bed, the garage door is only possible in conjunction with the option ""Queens bed manually height adjustable"""
- ¹⁸ Lithium battery incompatible with AGM battery
- ¹⁹ Overall height (approx. cm) T-hood open: 360 cm
- ²⁰ 5. + 6 . Schlafplatz : Zubehör "Hubbett über Hecksitzgruppe"
- ²¹ Only in connection with aluminium rims
- ²² Only 140 BHP maxi.
- ²³ Only 180 BHP maxi.
- ²⁴ An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass. To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partners.
- ²⁵ Only in conjunction with the self-sufficiency package.
- ²⁶ In conjunction with Oyster WiFi connect system
- 27 8 loudspeakers (high / medium / low speaker inc. Subwoofer) only in conjunction with multimedia package.
- ²⁸ Only in connection with chassis package and multimedia package.

Please find more details concerning weight under "Important references"

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Bürstner configurator on our website offer you additional assistance in configuring your vehicle.

1. The technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is \pm 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Bürstner makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Bürstner by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3 * 75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of \pm 5 % (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment (see no. 4 above) and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg ≥ 10 * (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg * (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
- 3*75 kg mass of the passengers
- 100 kg minimum pay-mass
- = 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3,500 kg technically permissible maximum laden mass

- 2,907 kg real weighed mass in running order
 (+ 2 % compared to the stated value of 2,850 kg)
- 3*75 kg mass of the passengers
- 325 kg optional equipment (maximum permissible value)
- = 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Bürstner further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Bürstner will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

 $3.500 \ kg \$ technically permissible maximum laden mass

-2.907 kg real weighed mass in running order

(+ 2 % compared to the stated value of 2,850 kg)

- 3*75 kg mass of the passengers
- 150 kg optional equipment ordered for the specific vehicle
- = 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.



IMPORTANT INSTRUCTIONS

Any change in the factory condition of your vehicle can impair driving and traffic safety

- Observe all relevant regulations for a safe operation of your vehicle
- Make sure that you have the correct drivers license to be able to drive the vehicle
- Installing roof structures and antennas will change the vehicle height
- Depending on the vehicle type, not all antennas/structures can be placed on the roof. Some accessories can be mounted.
- The technical data stated in this brochure correspond to the state of knowledge and production at the time of printing (August 2022) in terms of weight and dimensions as well as equipment and design. Bürstner reserves the right to make changes or improvements to the product at any time. We therefore recommend that during the nformation process and before concluding the contract, you check our website, using our configurator and/or with our authorised Bürstner dealer for any changes compared to this publication. The technical data
- in the catalogue includes the series status at the time of printing. Despite a thorough review of the content we cannot rule out printing errors. During the respective model year, we reserve the right to change equipment and improve the products we make.
- The technical data in the catalogue includes the series status at the time of printing. Despite a thorough review of the content we cannot rule out printing errors. During the respective model year, we reserve the right to change equipment and improve the products we make.
- Deviations in structure and colour from those shown in the brochure are reserved insofar due to the nature of the materials used. They are normally commercially available.
- Please inform yourself about the current product and series condition before signing a contact at a Bürstner authorised trading partner.
- All accessory prices are for factory installation, in frame of a new vehicle.

UK - All prices are recommended retail prices in GBP including legal applicable VAT, On The Road Charges (OTR including delivery from Germany, registration and PDI). Possible import duties are not included and will be charged separately. Your local dealer informes you about the applicable prices, taxes and duties for your country. All prices are quoted in Sterling and include VAT @ 20%. Price details were current at the time of going to press. The publication of this price list shall render all previous prices invalid. Valid for deliveries after 01 august 2022. Prices may vary depending on your delivery date. The prices include statutory value added tax at the current rate of 20% and are subject to change in case of amendments to the tax rate or on introduction of tarrifs. Subject to mistakes, printing errors and changes. All the information is based on UK specification.

Last revised: August 2022 - 08/22



Bürstner GmbH & Co. KG Weststrasse 33 D-77694 Kehl Tel. +49 7851 85-0 Fax +49 7851 85-201 info@buerstner.com www.buerstner.com